





# CHMP4C Polyclonal Antibody

Catalog Number PA5-32050 Product data sheet

Details	
Size	100 μL
Host/Isotope	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Immunogen	Recombinant fragment corresponding to a region within amino acids 1 and 168 of Human CHMP4C
Conjugate	Unconjugated
Form	Liquid
Concentration	1 mg/mL
Storage Conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

Species Reactivity	
Species reactivity	Human, Mouse
Tested Applications	Dilution *
Immunohistochemistry (Paraffin) (IHC (P))	1:100-1:1,000
Western Blot (WB)	1:500-1:3,000
Immunocytochemistry (ICC/IF)	1:100-1:1,000

<sup>\*</sup> Suggested working dilutions are given as a guide only. It is recommended that the user titrate the product for use in their own experiment using appropriate negative and positive controls.

### **Product specific information**

Recommended positive controls: HeLa, HeLa cytoplasm, mouse kidney. Predicted reactivity: Mouse (90%), Rat (91%), Pig (95%), Chicken (82%), Rhesus Monkey (99%), Bovine (91%). Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

### Background/Target Information

CHMP4C belongs to the chromatin-modifying protein/charged multivesicular body protein (CHMP) family. These proteins are components of ESCRT-III (endosomal sorting complex required for transport III), a complex involved in degradation of surface receptor proteins and formation of endocytic multivesicular bodies (MVBs). Some CHMPs have both nuclear and cytoplasmic/vesicular distributions, and one such CHMP, CHMP1A, is required for both MVB formation and regulation of cell cycle progression.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.


For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSINE REALED FOR ROCKETOR POR REFUND FOR PORTOR PORT OF REFUND FOR PORTOR PORTO




# **Product Images For CHMP4C Polyclonal Antibody**




#### CHMP4C Antibody (PA5-32050) in ICC/IF

Immunocytochemistry-Immunofluorescence analysis of CHMP4C was performed in HeLa cells fixed in ice-cold MeOH for 5 min. Green: CHMP4C Polyclonal Antibody (Product # PA5-32050) diluted at 1:500. Red: alpha Tubulin, stained by alpha Tubulin antibody. Blue: Hoechst 33342 staining.




## CHMP4C Antibody (PA5-32050) in IHC (P)

Immunohistochemical analysis of CHMP4C in paraffin-embedded U87 xenograft using a CHMP4C polyclonal antibody (Product # PA5-32050) at a dilution of 1:500.



### CHMP4C Antibody (PA5-32050) in WB

Western blot analysis of CHMP4C using 20 µg of A) HeLa and B) HeLa cytoplasm lysate. Samples were loaded onto a 12% SDS-PAGE gel and probed with a CHMP4C polyclonal antibody (Product # PA5-32050) at a dilution of 1:1000.



# CHMP4C Antibody (PA5-32050) in WB

Western blot analysis of CHMP4C using 50 µg of mouse kidney lysate. Samples were loaded onto a 12% SDS-PAGE gel and probed with a CHMP4C polyclonal antibody (Product # PA5-32050) at a dilution of 1:1000.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE REACTOR FOR NOR-ON-OFFINIAM PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR OR REFUND FOR OR REFUND FOR OR REFUND FOR PRODUCTS. IN EAST THE REVOLUTION TO FROM REPLACE OR REFUND FOR PRODUCTS. AS THE RESULT OF (IN ACCIDENCE TO FOR REFUND FOR PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IN) MPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research on any date in not be used for any other purpose, including without limitation, unachidrized commercial uses, in vitro departs.

