



# **PGAM2** Polyclonal Antibody


<b>Product Details</b>		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	A synthesized peptide derived from human PGAM2(Accession P15259), corresponding to amino acid residues P124-Q174.	
Form	Liquid	
Concentration	1 mg/mL	
Purification	Affinity chromatography	
Storage buffer	PBS with 50% glycerol	
Contains	0.02% sodium azide	
Storage conditions	-20°C	
RRID	AB_2900379	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-

## **Product Specific Information**


Antibody detects endogenous levels of total PGAM2.

### **Product Images For PGAM2 Polyclonal Antibody**




#### PGAM2 Antibody (PA5-115744) in IHC (P)

Immunohistochemistry analysis of PGAM2 in human liver cancer. Samples were treated with formaldehyde and treated with citrate buffer for antigen retrieval, blocked, and incubated (1.5 hours at 22°C) with polyclonal antibody (Product # PA5-115744) at a dilution of 1:100. Secondary staining was applied with HRP conjugated anti-Rabbit.



## PGAM2 Antibody (PA5-115744) in IHC (P)

Immunohistochemistry analysis of PGAM2 in rat kidney tissue. Samples were treated with formaldehyde and treated with citrate buffer for antigen retrieval, blocked, and incubated (1.5 hours at 22°C) with polyclonal antibody (Product # PA5-115744) at a dilution of 1:100. Secondary staining was applied with HRP conjugated anti-Rabbit.



## PGAM2 Antibody (PA5-115744) in IHC (P)

Immunohistochemistry analysis of PGAM2 in rat heart tissue. Samples were treated with formaldehyde and treated with citrate buffer for antigen retrieval, blocked, and incubated (1.5 hours at 22°C) with polyclonal antibody (Product # PA5-115744) at a dilution of 1:100. Secondary staining was applied with HRP conjugated anti-Rabbit.

## View more figures on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CORPORNING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED. A PREVIOUS FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION, THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OPTION, THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE PRODUCTS AT HE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or any type of consumption to human or antibute to have a charactery of