



CHOP Polyclonal Antibody

| Product Details | | |
|------------------------|--|--|
| Size | 100 μL | |
| Species Reactivity | Human, Mouse, Rat | |
| Host/Isotype | Rabbit / IgG | |
| Class | Polyclonal | |
| Туре | Antibody | |
| Conjugate | Unconjugated | |
| Immunogen | Recombinant fusion protein containing a sequence corresponding to amino acids 1-169 of human DDIT3/CHOP (NP_0040742) | |
| Form | Liquid | |
| Concentration | 2.8 mg/mL | |
| Purification | Affinity Chromatography | |
| Storage buffer | PBS, pH 7.3, with 50% glycerol | |
| Contains | 0.05% ProClin 300 | |
| Storage conditions | -20° C, Avoid Freeze/Thaw Cycles | |
| RRID | AB_2913606 | |


| Applications | Tested Dilution | Publications |
|------------------------------|-----------------|--------------|
| Western Blot (WB) | 1:1,000-1:5,000 | - |
| Immunocytochemistry (ICC/IF) | 1:50-1:200 | - |

Product Specific Information

Positive test controls include: C2C12. The target is usually found in the following locations: Cytoplasm, Nucleus.


Immunogen sequence: MAAESLPFSF GTLSSWELEA WYEDLQEVLS SDENGGTYVS PPGNEEEESK IFTTLDPASL AWLTEEEPEP AEVTSTSQSP HSPDSSQSSL AQEEEEEDQG RTRKRKQSGH SPARAGKQRM KEKEQENERK VAQLAEENER LKQEIERLTR EVEATRRALI DRMVNLHQA

Product Images For CHOP Polyclonal Antibody




CHOP Antibody (PA5-120034) in ICC/IF

Immunofluorescence analysis of CHOP in U2OS cells. Samples were incubated with CHOP Polyclonal antibody (Product # PA5-120034) using a dilution of 1: 100. Blue: DAPI for nuclear staining.



CHOP Antibody (PA5-120034) in ICC/IF

Immunofluorescence analysis of CHOP in L929 cells. Samples were incubated with CHOP Polyclonal antibody (Product # PA5-120034) using a dilution of 1: 100. Blue: DAPI for nuclear staining.



CHOP Antibody (PA5-120034) in ICC/IF

Immunofluorescence analysis of CHOP in C6 cells. Samples were incubated with CHOP Polyclonal antibody (Product # PA5-120034) using a dilution of 1:100. Blue: DAPI for nuclear staining.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production obcumentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by EDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is immitted to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.
BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF FOR REFUND FOR REFUND FOR THE NON-CONFORMING PRODUCTS) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR THE ROBLICATION OF A REFUND FOR THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FALL TO N REGISTENCE FOR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.