


Product Details

| Size 40 | 00 μL |
|-----------------------|--|
| | |
| Species Reactivity He | luman, Mouse |
| Host/Isotype Ra | Rabbit / IgG |
| Class Po | olyclonal |
| Туре Аг | ntibody |
| Conjugate Ui | Inconjugated |
| • | LH conjugated synthetic peptide between 666-699 amino acids from the C-terminal region of uman UVRAG |
| Form Lie | iquid |
| Concentration 2 | mg/mL |
| Purification Si | ize-exclusion - Dialysis, Ammonium sulfate precipitation |
| Storage buffer PI | BS |
| Contains 0. | .09% sodium azide |
| Storage conditions -2 | 20° C, Avoid Freeze/Thaw Cycles |
| RRID AI | B_2552523 |

| Applications | Tested Dilution | Publications |
|--|-----------------|--------------|
| Western Blot (WB) | 1:1,000 | - |
| Immunohistochemistry (Paraffin) (IHC (P)) | 1:50-1:100 | - |
| Immunohistochemistry (PFA fixed) (IHC (PFA)) | 1:10-1:50 | - |
| Immunocytochemistry (ICC/IF) | 1:10-1:50 | - |

1

Product Images For UVRAG Polyclonal Antibody





UVRAG Antibody (PA5-35213) in ICC/IF

Immunofluorescent analysis of UVRAG showing staining in the cytoplasm of U-251 cells. U251 cells were treated with Chloroquine (50uM, 16h), fixed with 4% PFA (20 min) and permeabilized with Triton X-100 (0.2%, 30 min). Cells were probed with a UVRAG polyclonal antibody (Product # PA5-35213) (1:100, 2h at room temperature) followed by detection using a fluorescent conjugated secondary antibody (green) (1:1000, 1h). Nuclei were stained with Hoechst 33342 (blue) (10 µg/mL, 5 min).

UVRAG Antibody (PA5-35213) in ICC/IF

Immunofluorescent analysis of UVRAG in methanol-fixed Hela cells using a UVRAG polyclonal antibody (Product # PA5-35213).





UVRAG Antibody (PA5-35213) in IHC (P)

Immunohistochemistry analysis of UVRAG in formalin-fixed, paraffin-embedded human hepatocarcinoma tissue using a UVRAG polyclonal antibody (Product # PA5-35213) followed by DAB staining.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE SON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CEMALURE, (III) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS. UNA MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unass otherwise expressis stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.