



# CD90.1 (Thy-1.1) Monoclonal Antibody (HIS51), FITC, eBioscience™

<b>Product Details</b>		
Size	50 μg	
Species Reactivity	Mouse, Rat	
Published Species	Dog, Rat, Cat, Mouse, Human	
Host/Isotype	Mouse / IgG2a, kappa	
Recommended Isotype Control	Mouse IgG2a kappa Isotype Control (eBM2a), FITC, eBioscience™	
Class	Monoclonal	
Туре	Antibody	
Clone	HIS51	
Conjugate	FITC	
Excitation/Emission Max	498/517 nm	
Form	Liquid	
Concentration	0.5 mg/mL	
Purification	Affinity chromatography	
Storage buffer	PBS, pH 7.2	
Contains	0.09% sodium azide	
Storage conditions	4° C, store in dark, DO NOT FREEZE!	
RRID	AB_465151	

Applications	Tested Dilution	Publications
Immunohistochemistry (IHC)	-	4 Publications
Immunocytochemistry (ICC/IF)	-	4 Publications
Flow Cytometry (Flow)	0.06 µg/test	73 Publications
Miscellaneous PubMed (Misc)	-	3 Publications

#### **Product Specific Information**

Description: The HIS51 monoclonal antibody reacts with rat CD90 and cross-reacts with mouse CD90.1, a GPI-linked membrane molecule. In the rat, CD90 is expressed by hematopoietic stem cells, immature B cells, thymocytes, recent thymic emigrants, neurons, inflammed endothelia and other cell types. In the CD90.1-expressing mouse strains, PL and AKR, CD90 is expressed by early hematopoietic cells in the bone marrow, thymocytes and mature T cells.


Applications Reported: The HIS51 antibody has been reported for use in flow cytometric analysis.

Applications Tested: The HIS51 antibody has been tested by flow cytometric analysis of rat thymocyte and splenocyte suspensions. This can be used at less than or equal to 0.06  $\mu$ g per test. A test is defined as the amount ( $\mu$ g) of antibody that will stain a cell sample in a final volume of 100  $\mu$ L. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 488 nm; Emission: 520 nm; Laser: Blue Laser.

Filtration: 0.2 µm post-manufacturing filtered.

### Product Images For CD90.1 (Thy-1.1) Monoclonal Antibody (HIS51), FITC, eBioscience™



CD90.1 (Thy-1.1) Antibody (11-0900-81) in Flow
Staining of rat splenocytes with 0.03 µg of Anti-Mouse/Rat CD90.1 (Thy-1.1)
FITC (left) and PE (right). Appropriate isotype controls were used (open histogram). Total viable cells were used for analysis.

View more figures on thermofisher.com

#### **■ 84 References**

#### Immunohistochemistry (4)

Stem cell research & therapy

Bone marrow-derived mesenchymal stem cells combined with gonadotropin therapy restore postnatal oogenesis of chemo-ablated ovaries in rats via enhancing very small embryonic-like stem cells. **Year** 2021

"Published figure using CD90.1 (Thy-1.1) monoclonal antibody (Product # 11-0900-81) in Immunohistochemistry"

Authors: Ebrahim N,Al Saihati HA,Shaman A,Dessouky AA,Farid AS,Hussien NI,Mostafa O,Seleem Y,Sabry D,Saad AS,Emam HT,Hassouna A,Badr OAM,Saffaf BA,Forsyth NR,Salim RF

Frontiers in endocrinology

#### Aldosterone Blocks Rat Stem Leydig Cell Development In Vitro.

"Published figure using CD90.1 (Thy-1.1) monoclonal antibody (Product # 11-0900-81) in Immunofluorescence" Authors: Zhang J,Huang B,Hu G,Zhan X,Xie T,Li S,Zhang X,Li H,Ge RS,Xu Y

**Year** 2019

View more IHC references on thermofisher.com

### Immunocytochemistry (4)

Frontiers in endocrinology

## Pituispheres Contain Genetic Variants Characteristic to Pituitary Adenoma Tumor Tissue.

"11-0900 was used in Immunocytochemistry-immunoflourescence to trace the origin of sphere-forming and adherent pituitary cell cultures and characterize the potential use of these surgery derived cell lines as pituitary adenoma model."

Authors: Peculis R,Mandrika I,Petrovska R,Dortane R,Megnis K,Nazarovs J,Balcere I,Stukens J,Konrade I,Pirags V, Klovins J,Rovite V

**Year** 2021

Species Human

Nature

# Single-cell transcriptomics reconstructs fate conversion from fibroblast to cardiomyocyte.

"Published figure using CD90.1 (Thy-1.1) monoclonal antibody (Product # 11-0900-81) in Immunofluorescence"

Authors: Liu Z,Wang L,Welch JD,Ma H,Zhou Y,Vaseghi HR,Yu S,Wall JB,Alimohamadi S,Zheng M,Yin C,Shen W,Prins JF,Liu J,Qian L

**Year** 2017

View more ICC/IF references on thermofisher.com

#### More applications with references on thermofisher.com

Flow (73)

Misc (3)

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production of source appearance or specifications and/or accompanying package inserts ("Documentation"), No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is imitted to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any mode of sample is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED, ACCEDING THE PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption to human or animal to human or animal to the superior of consumption to human or animal to human or animal to the superior of consumption to human or animal to human or animal to the superior of consumption to human or animal to human or anima