

CD86 (B7-2) Monoclonal Antibody (IT2.2), Biotin, eBioscience

Product Details	
Size	100 µg
Species Reactivity	Human
Published Species	Human
Host/Isotype	Mouse / IgG2b, kappa
Recommended Isotype Control	Mouse IgG2b kappa Isotype Control (eBMG2b), Biotin, eBioscience
Class	Monoclonal
Type	Antibody
Clone	IT2.2
Conjugate	Biotin
Form	Liquid
Concentration	0.5 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with 0.1% gelatin
Contains	0.09% sodium azide
Storage Conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_466529

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	0.5 µg/test	7 Publications
Immunocytochemistry (ICC/IF)	-	1 Publication

Product Specific Information


Description: The IT2.2 monoclonal antibody reacts with human CD86, an ~80 kDa surface receptor also known as B7-2. CD86 and CD80 are members of the B7 family of costimulatory molecules. CD86 is expressed at low levels on B cells, macrophages, and dendritic cells and is upregulated on B cells through a variety of surface stimuli including the BCR complex, CD40 and some cytokine receptors. In addition to CD80 (B7-1), CD86 is a counter-receptor for the T cell surface molecules CD28 and CD152 (CTLA-4). The interaction of CD86 with its ligands plays a critical role in T-B crosstalk, T cell costimulation, autoantibody production and Th2-mediated Ig production. The kinetics of upregulation of CD86 upon stimulation supports its major contribution during the primary phase of an immune response.

Applications Reported: The IT2.2 antibody has been reported for use in flow cytometric analysis.

Applications Tested: The IT2.2 antibody has been tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at less than or equal to 0.5 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Filtration: 0.2 µm post-manufacturing filtered.

Product Images For CD86 (B7-2) Monoclonal Antibody (IT2.2), Biotin, eBioscience



CD86 (B7-2) Antibody (13-0869-82) in Flow

Staining of normal human peripheral blood cells with Anti-Human CD86 (B7-2) PE. Appropriate isotype controls were used (open histogram). Cells in the monocyte population were used for analysis.

[View more figures on thermofisher.com](#)

8 References

Flow Cytometry (7)

Oncology letters

AG490 reverses phenotypic alteration of dendritic cells by bladder cancer cells.

"Published figure using CD86 (B7-2) monoclonal antibody (Product # 13-0869-82) in Flow Cytometry"

Authors: Xiu W, Ma J, Lei T, Zhang M

Species

Not Applicable

Dilution

Not Cited

Year

2018

Bioscience reports

MicroRNA-720 suppresses M2 macrophage polarization by targeting GATA3.

"Published figure using CD86 (B7-2) monoclonal antibody (Product # 13-0869-82) in Flow Cytometry"

Authors: Zhong Y, Yi C

Species

Human

Dilution

Not Cited

Year

2016

[View more Flow references on thermofisher.com](#)

Immunocytochemistry (1)

Biochemistry and biophysics reports

Pentraxin-3 regulates the inflammatory activity of macrophages.

"Published figure using CD86 (B7-2) monoclonal antibody (Product # 13-0869-82) in Immunocytochemistry"

Authors: Shiraki A, Kotooka N, Komoda H, Hirase T, Oyama JI, Node K

Species

Human

Dilution

Not Cited

Year

2016

[More applications with references on thermofisher.com](#)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.