

CD44 Monoclonal Antibody (IM7), APC, eBioscience™

Product Details

| | |
|-----------------------------|---|
| Size | 100 µg |
| Species Reactivity | Human, Mouse |
| Published Species | Dog, Fruit fly, Non-human primate, Bacteria, Mouse, Human |
| Host/Isotype | Rat / IgG2b, kappa |
| Recommended Isotype Control | Rat IgG2b kappa Isotype Control (eB149/10H5), APC, eBioscience™ |
| Class | Monoclonal |
| Type | Antibody |
| Clone | IM7 |
| Conjugate | APC |
| Excitation/Emission Max | 651/660 nm |
| Form | Liquid |
| Concentration | 0.2 mg/mL |
| Purification | Affinity chromatography |
| Storage buffer | PBS, pH 7.2 |
| Contains | 0.09% sodium azide |
| Storage conditions | 4° C, store in dark, DO NOT FREEZE! |
| RRID | AB_469390 |

| Applications | Tested Dilution | Publications |
|------------------------------|-----------------|------------------|
| Immunocytochemistry (ICC/IF) | - | 3 Publications |
| Flow Cytometry (Flow) | 0.06 µg/test | 282 Publications |
| Miscellaneous PubMed (Misc) | - | 1 Publication |

Product Specific Information


Description: The IM7 monoclonal antibody reacts with all isoforms of mouse CD44 (Pgp-1). CD44 is expressed by hematopoietic and non-hematopoietic cells. Bone marrow myeloid cells and memory T cells highly express this antigen and peripheral B and T cells can upregulate the expression of CD44. CD44 functions as an adhesion molecule through its binding to hyaluronate, an extracellular matrix component.

Applications Reported: The IM7 antibody has been reported for use in flow cytometric analysis.

Applications Tested: The IM7 antibody has been tested by flow cytometric analysis of mouse bone marrow cells and splenocytes. This can be used at less than or equal to 0.06 µg per test. A test is defined as the amount (µg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10⁵ to 10⁸ cells/test. It is recommended that the antibody be carefully titrated for optimal performance in the assay of interest.

Excitation: 633-647 nm; **Emission:** 660 nm; **Laser:** Red Laser.

Filtration: 0.2 µm post-manufacturing filtered.



CD44 Antibody (17-0441-82) in Flow

Staining of C57BL/6 splenocytes with staining buffer (autofluorescence) (open histogram) or 0.03 µg of Anti-Human/Mouse CD44 APC (filled histogram). Total viable cells were used for analysis.

[View more figures on thermofisher.com](https://thermofisher.com)

Immunocytochemistry (3)

| | |
|---|---|
| <p>JBMR plus</p> <p>Parathyroid Hormone-Related Protein Inhibition Blocks Triple-Negative Breast Cancer Expansion in Bone Through Epithelial to Mesenchymal Transition Reversal.</p> <p>"17-0441-82 was used in Immunocytochemistry-immunofluorescence to conclude that PTHrP is a targetable EMT molecular driver and suggest that its pharmacological blockade can provide a potential therapeutic approach against established TNBC-derived skeletal lesions."</p> <p>Authors: Li J,Camirand A,Zakikhani M,Sellin K,Guo Y,Luan X,Mihalcioiu C,Kremer R</p> | <p>Year 2022</p> <p>Species Human</p> |
| <p>PloS one</p> <p>Graphene-based 2D constructs for enhanced fibroblast support.</p> <p>"Published figure using CD44 monoclonal antibody (Product # 17-0441-82) in Immunocytochemistry"</p> <p>Authors: Safina I,Bourdo SE,Algazali KM,Kannarpady G,Watanabe F,Vang KB,Biris AS</p> | <p>Year 2020</p> <p>Species Human</p> |

View more ICC/IF references on thermofisher.com

Flow Cytometry (282)

| | |
|---|---|
| <p>Bioactive materials</p> <p>A platinum@polymer-catechol nanobroker enables radio-immunotherapy for crippling melanoma tumorigenesis, angiogenesis, and radioresistance.</p> <p>"Published figure using CD44 monoclonal antibody (Product # 17-0441-82) in Flow Cytometry"</p> <p>Authors: Li W,Yan J,Tian H,Li B,Wang G,Sang W,Zhang Z,Zhang X,Dai Y</p> | <p>Year 2023</p> <p>Species Mouse</p> |
| <p>Nature immunology</p> <p>IFN binding to extracellular matrix prevents fatal systemic toxicity.</p> <p>"17-0441-82 was used in Flow cytometry/Cell sorting to conclude that local retention of IFN is a pivotal mechanism to protect the organism from systemic toxicity during prolonged immune stimulation."</p> <p>Authors: Kemna J,Gout E,Daniau L,Lao J,Weiert K,Ammann S,Khn R,Richter M,Molenda C,Sporbert A,Zocholl D,Klopfleisch R,Lortat-Jacob H,Aichele P,Kammertoens T,Blankenstein T</p> | <p>Year 2023</p> <p>Species Mouse</p> |

View more Flow references on thermofisher.com

More applications with references on thermofisher.com

Misc (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.