Performance guarenteed



Product Details

Size	100 µL
Species Reactivity	Human, Mouse, Rat
Published Species	Rat, Human, Mouse
Host/Isotype	Mouse / IgG1
Class	Monoclonal
Туре	Antibody
Clone	N1665
Conjugate	Unconjugated
Immunogen	BALB/c mouse immunized with E.coli-expressed recombinant human SF-1 (218-461aa).
Form	Liquid
Concentration	1 mg/mL
Purification	Protein A
Storage buffer	physiological saline
Contains	0.1% sodium azide
Storage conditions	Maintain refrigerated at 2-8°C for up to 1 month. For long term storage store at -20°C
RRID	AB_2532209


Applications	Tested Dilution	Publications
Western Blot (WB)	3 μg/mL	-
Immunohistochemistry (IHC)	-	10 Publications
Immunohistochemistry (Paraffin) (IHC (P))	10 μg/mL	2 Publications
Immunohistochemistry (PFA fixed) (IHC (PFA))	-	1 Publication
Immunohistochemistry (Frozen) (IHC (F))	-	1 Publication
Immunocytochemistry (ICC/IF)	-	3 Publications
ELISA (ELISA)	0.1 μg/mL	-
Immunoprecipitation (IP)	Assay-dependent	-
Miscellaneous PubMed (Misc)	-	1 Publication

Product Specific Information

This antibody specifically recognizes human SF-1 and cross reacts with mouse and rat SF-1.

1

Product Images For NR5A1 Monoclonal Antibody (N1665)



NR5A1 Antibody (434200) in WB

Western blot was performed using NR5A1 Monoclonal Antibody (Product # 434200) and a 50 kDa band corresponding to NR5A1 was observed in the cell line and tissues tested. Modified whole cell extracts (1% SDS) (30 µg lysate) of Hep G2 (Lane 1), Hek-293 (Lane 2), tissue extracts of Mouse Ovary (Lane 3), Mouse Heart (Lane 4) and Mouse Prostate (Lane 5) were electrophoresed using NuPAGE[™] 4-12% Bis-Tris Protein Gel (Product # NP0322BOX). Resolved proteins were then transferred onto a nitrocellulose membrane (Product # IB23001) by iBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with the primary antibody (3 µg/ml) and detected by chemiluminescence with Goat anti-Mouse IgG (H+L) Superclonal™ Recombinant Secondary Antibody, HRP (Product # A28177, 1:4000 dilution) using the iBright FL 1000 (Product # A32752). Chemiluminescent detection was performed using SuperSignal[™] West Dura Extended Duration Substrate (Product # 34076). Hek-293 cell line, Heart and Prostate tissues have been reported to have low to negative expression of NR5A1. (Note: A band at ~25 kDa was observed in mouse tissues corresponding to circulating IgG).

View more figures on thermofisher.com

Immunohistochemistry (10)

Clinical endocrinology	Year
Pre- and postoperative ⁶⁸ Ga-DOTATOC positron emission tomography	2021
for hormone-secreting pituitary neuroendocrine tumours.	Species
"434200 was used in Immunohistochemistry to show that corticotroph tumours had a significantly lower uptake	Human
compared to the pituitary gland but without a distinct increased tumour uptake the clinical postoperative value is limited."	Dilution
Authors: Tjörnstrand A,Casar-Borota O,Heurling K,Schöll M,Gjertsson P,Ragnarsson O,Filipsson Nyström H	1:100
Neuropathology and applied neurobiology Gonadotroph tumours with a low SF-1 labelling index are more likely to recur and are associated with enrichment of the PI3K-AKT pathway.	Year 2021

"Published figure using NR5A1 monoclonal antibody (Product # 434200) in Immunohistochemistry" Authors: Hickman RA,Bruce JN,Otten M,Khandji AG,Flowers XE,Siegelin M,Lopes B,Faust PL,Freda PU

View more IHC references on thermofisher.com

Immunohistochemistry (Paraffin) (2)

Endocrine pathology	Year 2016
Oncogene-Induced Senescence in Pituitary Adenomasan Immunohistochemical Study.	Species
434200 was used in immunohistochemistry - paraffin section to report the expression of senescence-associated ysosomal beta-galactosidase, p16, and p21 in different types of pituitary adenomas"	Human
Authors: Manojlovic-Gacic E,Skender-Gazibara M,Popovic V,Soldatovic I,Boricic N,Raicevic S,Pekic S,Doknic M,Miljic D,Alafuzoff I,Pontén F,Casar-Borota O	Dilution 1:200
Endocrinology	Year
Steroidogenic factor 1 promotes aggressive growth of castration-	2014
resistant prostate cancer cells by stimulating steroid synthesis and cell proliferation.	Species Human

"434200 was used in immunohistochemistry - paraffin section to test if steroidogenic factor is expressed in castrationresistant prostate cancer and determine if it stimulates aberrant steroidogenesis and fuels aggressive growth." Authors: Lewis SR,Hedman CJ,Ziegler T,Ricke WA,Jorgensen JS

More applications with references on thermofisher.com

IHC (PFA) (1) IHC (F) (1) ICC/IF (3) Misc (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is initiated to oney ear from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON NORINFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCT'S DURING THE WARRANTY PENDO IS LIMITED TO REPAR, REFLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT'S 0.1 THERE IS NO OBLICATION TO REPAIR, REFLACE OR REFUND FOR THE NON-CONFORMING PRODUCT'S AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (III) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER', (III) USE OF THE PRODUCTS IN A MANKER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product on in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.