



## CD4 Monoclonal Antibody (SK3 (SK-3)), Super Bright™ 436, eBioscience™

Product Details	
Size	25 Tests
Species Reactivity	Human
Host/Isotype	Mouse / IgG1, kappa
Recommended Isotype Control	Mouse IgG1 kappa Isotype Control (P3.6.2.8.1), Super Bright™ 436, eBioscience™
Class	Monoclonal
Гуре	Antibody
Clone	SK3 (SK-3)
Conjugate	Super Bright™ 436
xcitation/Emission lax	413/431 nm
orm	Liquid
oncentration	5 μL/Test
urification	Affinity chromatography
Storage buffer	PBS, pH 7.2, with BSA
Contains	0.09% sodium azide
Storage conditions	4° C, store in dark, DO NOT FREEZE!
RRID	AB_2637473

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	5 μL (0.125 μg)/test	6 Publications

#### **Product Specific Information**

Description: The SK3 monoclonal antibody reacts with human CD4, a 59-kDa cell surface receptor expressed by a majority of thymocytes, a subpopulation of mature T helper cells, and at low levels on monocytes. CD4 is a receptor for the human immunodeficiency virus (HIV). SK3 blocks HIV binding and mixed lymphocyte reaction. The SK3 and RPA-T4 monoclonal antibodies do not cross-block binding, suggesting recognition of distinct epitopes.

Applications Reported: This SK3 (SK-3) antibody has been reported for use in flow cytometric analysis.

Applications Tested: This SK3 (SK-3) antibody has been pre-titrated and tested by flow cytometric analysis of normal human peripheral blood cells. This can be used at 5 μL (0.125 μg) per test. A test is defined as the amount (μg) of antibody that will stain a cell sample in a final volume of 100 µL. Cell number should be determined empirically but can range from 10^5 to 10^8 cells/test.


Super Bright 436 can be excited with the violet laser line (405 nm) and emits at 436 nm. We recommend using a 450/50 bandpass filter, or equivalent. Please make sure that your instrument is capable of detecting this fluorochrome.


When using two or more Super Bright dye-conjugated antibodies in a staining panel, it is recommended to use Super Bright Complete Staining Buffer (Product # SB-4401) to minimize any non-specific polymer interactions. Please refer to the datasheet for Super Bright Staining Buffer for more information.

Excitation: 405 nm; Emission: 436 nm; Laser: Violet Laser

Super Bright Polymer Dyes are sold under license from Becton, Dickinson and Company.

### Product Images For CD4 Monoclonal Antibody (SK3 (SK-3)), Super Bright™ 436, eBioscience™





#### CD4 Antibody (62-0047-41) in Flow

Staining of normal human peripheral blood cells with Anti-Human CD8a APC (Product # 17-0088-42) and Mouse IgG1 K Isotype Control Super Bright 436 (Product # 62-4714-82) (left) or Anti-Human CD4 Super Bright 436 (right). Cells in the lymphocyte gate were used for analysis.

#### View more figures on thermofisher.com

#### **□ 6 References**

### Flow Cytometry (6)

Experimental hematology & oncology

Interleukin-6-knockdown of chimeric antigen receptor-modified T cells significantly reduces IL-6 release from monocytes.

"Published figure using CD4 monoclonal antibody (Product # 62-0047-42) in Flow Cytometry"

Authors: Kang L,Tang X,Zhang J,Li M,Xu N,Qi W,Tan J,Lou X,Yu Z,Sun J,Wang Z,Dai H,Chen J,Lin G,Wu D,Yu L

**Year** 2022

#### **iScience**

# SPARC regulation of PMN clearance protects from pristane-induced lupus and rheumatoid arthritis.

"Published figure using CD4 monoclonal antibody (Product # 62-0047-42) in Flow Cytometry"

Authors: Sangaletti S,Botti L,Gulino A,Lecis D,Bassani B,Portararo P,Milani M,Cancila V,De Cecco L,Dugo M,Tripodo C,Colombo MP

**Year** 2021

View more Flow references on thermofisher.com

#### More applications with references on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation specifications and/or accompanying package interests ("Documentation", No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation is unless that the provided in the provid