

RUNX2 Recombinant Rabbit Monoclonal Antibody (6H4L27)

Product Details	
Size	100 µg
Species Reactivity	Human
Published Species	Human
Host/Isotype	Rabbit / IgG
Expression system	Expi293
Class	Recombinant Monoclonal
Type	Antibody
Clone	6H4L27
Conjugate	Unconjugated
Immunogen	Protein corresponding to human RUNX2 [aa235-aa400]
Form	Liquid
Concentration	0.5 mg/mL
Purification	Protein A
Storage buffer	PBS, pH 7.4
Contains	0.09% sodium azide
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
RRID	AB_2725282

Applications	Tested Dilution	Publications
Western Blot (WB)	1:200-1:1,000	1 Publication

Product Specific Information


This antibody is predicted to react with Monkey, Pig, Mouse, Rat.

Recombinant rabbit monoclonal antibodies are produced using in vitro expression systems. The expression systems are developed by cloning in the specific antibody DNA sequences from immunoreactive rabbits. Then, individual clones are screened to select the best candidates for production. The advantages of using recombinant rabbit monoclonal antibodies include: better specificity and sensitivity, lot-to-lot consistency, animal origin-free formulations, and broader immunoreactivity to diverse targets due to larger rabbit immune repertoire.

Product Images For RUNX2 Recombinant Rabbit Monoclonal Antibody (6H4L27)


RUNX2 Antibody (702489)

Antibody specificity was demonstrated by siRNA mediated knockdown of target protein. MD-AMB-231 cells were transfected with RUNX2 siRNA and decrease in signal intensity was observed in Western blot application using Anti-RUNX2 Recombinant Rabbit Monoclonal Antibody (Product # 702489). {KD}




RUNX2 Antibody (702489) in WB

Western blot analysis was performed on whole cell extracts (30 µg lysate) of differentiated osteoblasts from Human bone marrow derived mesenchymal stem cells at different stages such as Day 0 (Lane 1), Day 7 (Lane 2) and Day 14 (Lane 3) along with U-2 OS (Lane 4). The invitro osteogenesis differentiation was performed using StemPro™ Osteogenesis Differentiation Kit, (Product # A1007201) as per the manufacturer instructions. The blots were probed with Anti-RUNX2 Recombinant Rabbit Monoclonal Antibody (Product # 702489, 1:200 dilution) and detected by chemiluminescence using Goat anti-Rabbit IgG (Heavy Chain) Superclonal™ Secondary Antibody, HRP conjugate (Product # A27036, 1:4000 dilution). A ~ 56 kDa band corresponding to RUNX2 was observed in U-2 OS cells and in early differentiation stages (Day 7).



RUNX2 Antibody (702489)

Antibody specificity was demonstrated by detection of differential expression of the target across different stages of osteogenesis differentiation from Human Bone marrow derived mesenchymal stem cells using StemPro™ Osteogenesis Differentiation Kit, (Product # A1007201) as per the manufacturer instructions. Expression of RUNX2 was observed specifically in Day 7 of differentiation and decreased or no expression was detected at Day 0 and Day 14 of differentiation using Anti-RUNX2 Recombinant Rabbit Monoclonal Antibody (Product # 702489, 1:200 dilution) in Western blot. {RE}



View more figures on thermofisher.com

1 Reference

Western Blot (1)

Annals of translational medicine	Year 2022
High glucose inhibits the osteogenic differentiation of periodontal ligament stem cells in periodontitis by activating endoplasmic reticulum stress.	Species Human
"Published figure using RUNX2 recombinant monoclonal antibody (Product # 702489) in Western Blot"	Dilution 1:1000
Authors: Tan J,Zhou Y,Luo J,Wu X,Liu H,Wang W,Li Z,Zhong M,Wu L,Li X	

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.