

SSEA4 Monoclonal Antibody (MC-813-70)


Product Details	
Size	100 µg
Species Reactivity	Human
Published Species	Deer, Human
Host/Isotype	Mouse / IgG3
Class	Monoclonal
Type	Antibody
Clone	MC-813-70
Conjugate	Unconjugated
Immunogen	human embryonal carcinoma cell line 2102Ep
Form	Liquid
Concentration	1 mg/mL
Purification	Protein A
Storage buffer	potassium phosphate with 0.15M NaCl, 1mg/mL BSA
Contains	0.05% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_2536687

Applications	Tested Dilution	Publications
Immunocytochemistry (ICC/IF)	1:100-1:500	13 Publications
Flow Cytometry (Flow)	1:50-1:100	1 Publication
Miscellaneous PubMed (Misc)	-	4 Publications

Product Images For SSEA4 Monoclonal Antibody (MC-813-70)


SSEA4 Antibody (MA1-021) in ICC/IF

Immunofluorescent analysis of SSEA-4 using anti-SSEA-4 monoclonal antibody (Product # MA1-021) shows staining on the cell surface of human H9 human embryonic stem cells, indicating pluripotency. SSEA-4 staining (green) and an overlay image of SSEA-4 with DAPI (blue) is shown. H9 human embryonic stem cells were grown on matrigel coated chamber slides and fixed with formaldehyde prior to staining. Cells were probed with a Monoclonal antibody recognizing SSEA-4 (Product # MA1-021) at a dilution of 1:40 overnight at 4 °C, washed with PBS and incubated with a FITC-conjugated secondary antibody at a dilution of 1:100 for 60 minutes at room temperature. Images were taken at 20X magnification.




SSEA4 Antibody (MA1-021) in ICC/IF

Immunofluorescent analysis of SSEA4 using anti-SSEA4 monoclonal antibody (Product # MA1-021) shows expression in human teratocarcinoma NCCIT cells (shown in green) but not in negative control HeLa cells. Formalin fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 10 minutes at room temperature. Cells were blocked with 1% Blocker BSA (Product # 37525) for 15 minutes at room temperature. Cells were probed with a mouse monoclonal antibody recognizing SSEA4 (Product # MA1-021), at a dilution of 1:50 for at least 1 hour at room temperature. Cells were washed with PBS and incubated with DyLight 488 goat-anti-mouse secondary antibody (Product # 35503) at a dilution of 1:400 for 30 minutes at room temperature. Nuclei (blue) were stained with Hoechst 33342 dye (Product # 62249). Images were taken on a Thermo Scientific ArrayScan at 20X magnification.



SSEA4 Antibody (MA1-021) in Flow

Flow cytometry analysis of SSEA-4 using anti-SSEA-4 monoclonal antibody (Product # MA1-021) shows positive staining of HEL 11.4 iPS cells (blue line). HEL 11.4 iPS cells were harvested, fixed and washed with PBS. Cells were incubated with anti-SSEA-4 monoclonal antibody (Product # MA1-021) or control at a 1:100 dilution for 1 hour on ice, followed by 30 min incubation with FITC-conjugated secondary antibody. 100,000 cells were stained for each sample.



View more figures on thermofisher.com

Immunocytochemistry (13)

Stem cell reports Characterization of N-terminal RYR2 variants outside CPVT1 hotspot regions using patient iPSCs reveal pathogenesis and therapeutic potential. "MA1-021 was used in Immunocytochemistry-immunoflourescence to show that these variants are located at the N-terminal domain and the central domain interface and could destabilize the RYR2 channel promoting Ca2+ leak-triggered arrhythmias." Authors: Stutzman MJ,Kim CSJ,Tester DJ,Hamrick SK,Dotzler SM,Giudicessi JR,Miotto MC,Gc JB,Frank J,Marks AR,Ackerman MJ	Year 2022 Species Human
Heart rhythm Patient-specific, re-engineered cardiomyocyte model confirms the circumstance-dependent arrhythmia risk associated with the African-specific common SCN5A polymorphism p.S1103Y: Implications for the increased sudden deaths observed in black individuals during the COVID-19 pandemic. "MA1-021 was used in Immunocytochemistry to ascertain the effects of acidosis and hydroxychloroquine (HCQ) on the action potential duration (APD) in a patient-specific induced pluripotent stem cell-derived cardiomyocyte (iPSC-CM) model of p.S1103Y-SCN5A." Authors: Hamrick SK,John Kim CS,Tester DJ,Giudicessi JR,Ackerman MJ	Year 2022 Species Human

View more ICC/IF references on thermofisher.com

Flow Cytometry (1)

Stem cell research Generation of an integration-free induced pluripotent stem cell line (UNC001-A) from blood of a healthy individual. "MA1-021 was used in Immunocytochemistry to investigate molecular disease mechanisms during the early development of the brain vasculature." Authors: Molina SG,Beltran AA,Beltran AS	Year 2020 Species Human
---	---

Miscellaneous PubMed (4)

Animal biotechnology Amnion Epithelial Cells of Buffalo (Bubalus Bubalis) Term Placenta Expressed Embryonic Stem Cells Markers and Differentiated into Cells of Neurogenic Lineage In Vitro. "MA1-021X was used in immunocytochemistry to isolate and characterize buffalo amniotic membrane-derived epithelial cells" Authors: Ghosh K,Selokar NL,Gahlawat SK,Kumar D,Kumar P,Yadav PS	Year 2016 Dilution 1:500
--	--

View more Misc references on thermofisher.com

More applications with references on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (i) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (ii) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (iii) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (iv) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.