VEGF Receptor 3 Monoclonal Antibody (44CT92.4.4)


Product Details

Size	400 µL
Species Reactivity	Human
Published Species	Human
Host/Isotype	Mouse / IgG1, kappa
Class	Monoclonal
Туре	Antibody
Clone	44CT92.4.4
Conjugate	Unconjugated
Immunogen	Purified His-tagged VGFR3 protein fragment
Form	Liquid
Concentration	0.44 mg/mL
Purification	Protein G
Storage buffer	PBS
Contains	0.09% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_10982300

Applications	Tested Dilution	Publications
Western Blot (WB)	1:2,000	-
Immunohistochemistry (IHC)	-	1 Publication
Immunohistochemistry (Paraffin) (IHC (P))	1:10-1:50	-

1

Product Images For VEGF Receptor 3 Monoclonal Antibody (44CT92.4.4)




VEGF Receptor 3 Antibody (MA5-11168) in IHC (P)

Immunohistochemical analysis of formalin-fixed, paraffin-embedded human lung carcinoma tissue using a VGFR3 monoclonal antibody (Product # MA5-11168), followed by HRP-conjugated secondary antibody and DAB staining.

VEGF Receptor 3 Antibody (MA5-11168) in WB

Western blot analysis of VGFR3 recombinant protein (Fragment 50KD) using a VGFR3 monoclonal antibody (Product # MA5-11168).



□1 Reference

Immunohistochemistry (1)

International journal of experimental pathology

Immunohistochemical and immunofluorescence expression profile of lymphatic endothelial cell markers in oral cancer.

"MA5-11168 was used in Immunohistochemistry to establish that the OSCC TME contains significantly more lymphatic vessels expressing D2-40 and Prox1 than the control groups, which may play a role in facilitating lymphatic invasion and metastases."

Authors: Chutipongpisit K, Parachuru VP, Friedlander LT, Hussaini HM, Rich AM

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample furnished. To super item Variante Control CS DURING THEE WARRANTES, EXPRESS OR INVERDED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICURST DR NON INFRINGEMENT. BUYER'S SCILUSVIE CEMENDE' FOR NON-CONFORMING PRODUCTS DURING THE WARRANT FERIOD IS LIMITED TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS SOLE OPTION. THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER', (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro distano

Year 2021

> Species Human