



NPM1 Monoclonal Antibody (NA24)

Product Details	
Size	500 μL
Species Reactivity	Human, Mouse
Published Species	Human
Host/Isotype	Mouse / IgG, kappa
Class	Monoclonal
Туре	Antibody
Clone	NA24
Conjugate	Unconjugated
Immunogen	GST fusion protein containing the N-terminal part of nucleophosmin fused to 14 aa of ALK protein
Form	Liquid
Concentration	0.2 mg/mL
Purification	Protein G
Storage buffer	PBS, pH 7.4, with 0.2% BSA
Contains	0.09% sodium azide
Storage conditions	4° C
RRID	AB_10981922


Applications	Tested Dilution	Publications
Western Blot (WB)	1:100-1:1,000	2 Publications
Immunohistochemistry (IHC)	-	1 Publication
Immunohistochemistry (Paraffin) (IHC (P))	1-2 μg/mL	-
Immunocytochemistry (ICC/IF)	1:20-1:200	2 Publications
ChIP assay (ChIP)	2.5 µg/10^6 cells	-
Miscellaneous PubMed (Misc)	-	1 Publication

Product Specific Information

MA5-12508 targets Nucleophosmin in IHC (P), ICC/IF and WB applications and shows reactivity with human and mouse samples.


The MA5-12508 immunogen is gST fusion protein containing the N-terminal part of nucleophosmin fused to 14 aa of ALK protein.

Product Images For NPM1 Monoclonal Antibody (NA24)




NPM1 Antibody (MA5-12508)

Antibody specificity was demonstrated by siRNA mediated knockdown of target protein. HeLa cells were transfected with NPM1 siRNA and decrease in signal intensity was observed in western blot application using Anti-NPM1 Monoclonal Antibody (NA24) (Product # PA5-12508). {KD}



NPM1 Antibody (MA5-12508) in WB

Western blot was performed using Anti-NPM1 Monoclonal Antibody (Product # MA5-12508) and a 32 kDa band corresponding to NPM1 was observed across all the cell lines tested. Modified whole cell extracts (1% SDS) (30 µg lysate) of HeLa (Lane 1), COS-7 (Lane 2), U-2 OS (Lane 3) and Hep G2 (Lane 4) were electrophoresed using NuPAGE™ 10% Bis-Tris Protein Gel (Product # NP0302BOX). Resolved proteins were then transferred onto a nitrocellulose membrane (Product # IB23001) by iBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with the primary antibody (1:750 dilution) and detected by chemiluminescence with Goat anti-Mouse IgG (H+L), Superclonal™ Recombinant Secondary Antibody, HRP (Product # A28177, 1:4000 dilution) using the iBright FL 1000 (Product # A32752). Chemiluminescent detection was performed using Novex® ECL Chemiluminescent Substrate Reagent Kit (Product # WP20005).



NPM1 Antibody (MA5-12508)

Antibody specificity was demonstrated by CRISPR-Cas9 mediated knockout of target protein. A loss of signal was observed for target protein in HeLa Cas9 cell line transduced with NPM1 Lentiviral sgRNA compared to control cell line using NPM1 Monoclonal Antibody (NA24) (Product # MA5-12508). {KO}

View more figures on thermofisher.com

□ 6 References

Western Blot (2)

PloS one

Oct4/Sox2 binding sites contribute to maintaining hypomethylation of the maternal igf2/h19 imprinting control region.

"MA5-12508 was used in western blot to study maternal Igf2/H19 imprinting control region hypomethylation and the role of binding sites for Oct4 and Sox2"

Authors: Zimmerman DL, Boddy CS, Schoenherr CS

Year 2014

Species Human

Dilution 1:10,000

The Journal of biological chemistry

Functional characterization of the kinase activation loop in nucleophosmin (NPM)-anaplastic lymphoma kinase (ALK) using tandem affinity purification and liquid chromatography-mass spectrometry.

"MA5-12508 was used in western blot to investigate the mechanism of KAL phosphorylation in NPM-ALK" Authors: Wang P,Wu F,Ma Y,Li L,Lai R,Young LC

Year 2010

Species Human

Immunohistochemistry (1)

Human pathology

Nucleophosmin, p53, and Ki-67 expression patterns on an oral squamous cell carcinoma tissue microarray.

"MA5-12508 was used in immunohistochemistry to investigate the expression of nucleophosmin, p53, and Ki-67 in tissues from oral squamous cell carcinoma"

Authors: Coutinho-Camillo CM, Lourenço SV, Nishimoto IN, Kowalski LP, Soares FA

Year 2010

Species Human

Dilution 1:1200

Immunocytochemistry (2)

Cell

C9orf72 Dipeptide Repeats Impair the Assembly, Dynamics, and Function of Membrane-Less Organelles.

"MA5-12508 was used in immunocytochemistry to report the interactome of all dipeptide repeat proteins"

Authors: Lee KH,Zhang P,Kim HJ,Mitrea DM,Sarkar M,Freibaum BD,Cika J,Coughlin M,Messing J,Molliex A,Maxwell BA,Kim NC,Temirov J,Moore J,Kolaitis RM,Shaw TI,Bai B,Peng J,Kriwacki RW,Taylor JP

Year 2016

Species Human

More applications with references on thermofisher.com

Misc (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anynow other than the Buyer. Any mode of sample in merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample invitable to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLLSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACE OR REFUND FOR REFUND FOR RODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or who for in your therapeutic uses, or who for in your therapeutic uses, or who for in your therapeutic uses, or who for in your