

PPAR gamma Monoclonal Antibody (K.242.9)

Product Details	
Size	100 µL
Species Reactivity	Human, Mouse
Published Species	Rat, Mouse, Human
Host/Isotype	Rabbit / IgG
Class	Monoclonal
Type	Antibody
Clone	K.242.9
Conjugate	Unconjugated
Immunogen	Synthetic peptide corresponding to residues surrounding Asp69 of human PPAR-gamma
Form	Liquid
Concentration	125 µg/mL
Purification	Affinity chromatography
Storage buffer	0.01M HEPES, pH 7.5, with 0.15M NaCl, 100µg/mL BSA, 50% glycerol
Contains	<0.02% sodium azide
Storage conditions	-20°C
RRID	AB_10985650

Applications	Tested Dilution	Publications
Western Blot (WB)	1:1,000	12 Publications
Immunohistochemistry (IHC)	-	3 Publications
Immunohistochemistry (Paraffin) (IHC (P))	1:400-1:1,600	-
Immunocytochemistry (ICC/IF)	1:50-1:200	2 Publications
Immunoprecipitation (IP)	-	1 Publication


Product Specific Information

It is not recommended to aliquot this antibody.

Product Images For PPAR gamma Monoclonal Antibody (K.242.9)


PPAR gamma Antibody (MA5-14889) in WB

Western blot was performed using Anti-PPAR gamma Monoclonal Antibody (K. 242.9) (Product # MA5-14889) and two bands at ~ 55kDa and ~57 kDa corresponding to Peroxisome proliferator-activated receptor gamma was observed across cell lines and Mouse Adipose, and were absent in Mouse Lung and Mouse Brain; along with an uncharacterized (*) band at ~60 kDa. Whole cell extracts (30 µg lysate) of A549 (Lane 1), 3T3-L1 (Lane 2), 3T3-L1 differentiated for 7 days (Lane 3), Mouse Adipose (Lane 4), Mouse Lung (Lane 5) and Mouse Brain (Lane 6) were electrophoresed using NuPAGE™ 4-12% Bis-Tris Protein Gel (Product # NP0321BOX). Resolved proteins were then transferred onto a Nitrocellulose membrane (Product # LC2001) by iBlot® 2 Dry Blotting System (Product # IB21001). The blot was probed with the primary antibody (1:1000 dilution) and detected by chemiluminescence with Goat anti-Rabbit IgG (Heavy Chain) Superclonal™ Recombinant Secondary Antibody, HRP (Product # A27036, 1:4000 dilution) using the iBright FL 1000 (Product # A32752). Chemiluminescent detection was performed using Novex® ECL Reagent Kit (Product # WP20005).




PPAR gamma Antibody (MA5-14889)

Antibody specificity was demonstrated by CRISPR-Cas9 mediated knockout of target protein. A loss of signal was observed for target protein in PPARG KO cell line compared to control cell line using Anti-PPAR gamma Monoclonal Antibody (K.242.9) (Product # MA5-14889). {KO}



PPAR gamma Antibody (MA5-14889) in WB

Western blot analysis of PPAR-gamma in extracts from NIH/3T3 and 3T3-L1 cells (differentiated 6 days) using PPAR-gamma monoclonal antibody (Product # MA5-14889).



View more figures on thermofisher.com

Western Blot (12)

<p>Pharmaceuticals (Basel, Switzerland)</p> <p>Deletion of Spinophilin Promotes White Adipocyte Browning.</p> <p>"MA5-14889 was used in Immunohistochemistry-immunofluorescence to demonstrate the critical role of SPL in the regulation of WAT browning."</p> <p>Authors: Gou W,Wei H,Swaby L,Green E,Wang H</p>	<p>Year 2023</p> <p>Species Mouse</p>
<p>Biomedicines</p> <p>-RA Targets Mitochondrial Metabolism and Adipogenesis, Leading to Therapeutic Benefits against CoQ Deficiency and Age-Related Overweight.</p> <p>"Published figure using PPAR gamma monoclonal antibody (Product # MA5-14889) in Western Blot"</p> <p>Authors: Hidalgo-Gutiérrez A,Barriocanal-Casado E,Díaz-Casado ME,González-García P,Zenezini Chiozzi R,Acuña-Castroviejo D,López LC</p>	<p>Year 2021</p>

View more WB references on thermofisher.com

Immunohistochemistry (3)

<p>Pharmaceuticals (Basel, Switzerland)</p> <p>Deletion of Spinophilin Promotes White Adipocyte Browning.</p> <p>"MA5-14889 was used in Immunohistochemistry-immunofluorescence to demonstrate the critical role of SPL in the regulation of WAT browning."</p> <p>Authors: Gou W,Wei H,Swaby L,Green E,Wang H</p>	<p>Year 2023</p> <p>Species Mouse</p>
<p>Nature metabolism</p> <p>Defining the lineage of thermogenic perivascular adipose tissue.</p> <p>"Published figure using PPAR gamma monoclonal antibody (Product # MA5-14889) in Immunohistochemistry"</p> <p>Authors: Angueira AR,Sakers AP,Holman CD,Cheng L,Arbocco MN,Shamsi F,Lynes MD,Shrestha R,Okada C, Batmanov K,Susztak K,Tseng YH,Liaw L,Seale P</p>	<p>Year 2021</p>

View more IHC references on thermofisher.com

More applications with references on thermofisher.com

- ICC/IF (2)
- IP (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.