

SRC Monoclonal Antibody (1F11)

Product Details	
Size	100 μL
Species Reactivity	Human, Mouse, Non-human primate, Rat
Published Species	Human
Host/Isotype	Mouse / IgG1
Class	Monoclonal
Туре	Antibody
Clone	1F11
Conjugate	Unconjugated
Immunogen	Purified recombinant fragment of human SRC expressed in E. Coli.
Form	Liquid
Concentration	Conc. Not Determined
Storage buffer	ascites
Contains	0.03% sodium azide
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
RRID	AB_11153423

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	1 Publication
Immunohistochemistry (IHC)	1:200-1:1,000	-
Flow Cytometry (Flow)	1:200-1:400	-
ELISA (ELISA)	1:10,000	-


Product Specific Information

MA5-15924 targets SRC in indirect ELISA, FACS, IHC, and WB applications and shows reactivity with Human samples.

The MA5-15924 immunogen is purified recombinant fragment of human SRC expressed in E. Coli. .


MA5-15924 detects SRC which has a predicted molecular weight of approximately 60kDa.

Product Images For SRC Monoclonal Antibody (1F11)




SRC Antibody (MA5-15924) in WB

Western blot analysis of SRC using SRC monoclonal antibody (Product # MA5-15924) in MCF-7 (1), A431 (2), HeLa (3), HEK293 (4), NIH/3T3 (5), PC-12 (6) and COS-7 (7) cell lysate.



SRC Antibody (MA5-15924) in IHC (P)

Immunohistochemical analysis of paraffin-embedded bladder cancer tissues using SRC monoclonal antibody (Product # MA5-15924) followed with DAB staining.



SRC Antibody (MA5-15924) in IHC (P)

Immunohistochemical analysis of paraffin-embedded esophageal tissues using SRC monoclonal antibody (Product # MA5-15924) followed with DAB staining.

View more figures on thermofisher.com

□ 1 Reference

Western Blot (1)

Endocrinology

Contrasting effects of prenyltransferase inhibitors on estrogendependent cell cycle progression and estrogen receptor-mediated transcriptional activity in MCF-7 cells.

"MA5-15924 was used in western blot to study the effect of prenyltransferase inhibitors on estrogen-dependent cell cycle progression and on transcriptional activity mediated by estrogen receptor-alpha"

Authors: Doisneau-Sixou SF,Cestac P,Chouini S,Carroll JS,Hamilton AD,Sebti SM,Poirot M,Balaguer P,Faye JC, Sutherland RL,Favre G

Year 2003

Species Human

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTES OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFINIOGEMENT.
BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS, AT SELLER'S SOLE OFTION. THERE IS NO OBLIGATION TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompaning the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.