



## HIF1A Monoclonal Antibody (H1alpha67), DyLight™ 650

<b>Product Details</b>			
Size	100 μL		
Species Reactivity	Bovine, Dog, Cat, Ferret, Human, Mouse, Non-human primate, Sheep, Pig, Rabbit, Rat, Xenopus		
Published Species	Rabbit, Rat, Human, Mouse		
Host/Isotype	Mouse / IgG2b		
Class	Monoclonal		
Туре	Antibody		
Clone	H1alpha67		
Conjugate	DyLight™ 650		
Excitation/Emission Max	651/673 nm		
Immunogen	Fusion protein containing amino acids 432-528 of human HIF-1alpha.		
Form	Liquid		
Concentration	0.97 mg/mL		
Purification	Protein G		
Storage buffer	50mM sodium borate		
Contains	0.05% sodium azide		
Storage conditions	4° C, store in dark		
RRID	AB_11156806		

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500	7 Publications
Immunohistochemistry (IHC)	-	19 Publications
Immunohistochemistry (Paraffin) (IHC (P))	Assay-Dependent	-
Immunohistochemistry (Frozen) (IHC (F))	1:100	-
Immunocytochemistry (ICC/IF)	Assay-Dependent	2 Publications
Flow Cytometry (Flow)	Assay-Dependent	-
ELISA (ELISA)	Assay-Dependent	-
Gel Shift (GS)	-	1 Publication

## **Product Specific Information**

In Western blot, multiple bands may be seen at 100-120 kDa representing post-translational modification of HIF-1 alpha.

For WB, testing on nuclear extracts is recommended.

Suggested positive control: Cos-7 nuclear extracts.

#### □ 29 References

#### Western Blot (7)

Phytomedicine: international journal of phytotherapy and phytopharmacology

Enhancing effects of a chromone glycoside, eucryphin, isolated from Astilbe rhizomes on burn wound repair and its mechanism.

"MA5-16008 was used in western blot to study the mechanisms underlying the beneficial effects of a chromone glycoside on the repair of burn wounds"

Authors: Sumiyoshi M, Kimura Y

**Year** 2010

Species Human

#### PloS one

# Changes in vascular permeability and expression of different angiogenic factors following anti-angiogenic treatment in rat glioma.

"MA5-16008 was used in western blot to study changes in vascular parameters, growth factors and tumor size following treatment of rat glioma with a VEGFR tyrosine kinase inhibitor"

Authors: Ali MM, Janic B, Babajani-Feremi A, Varma NR, Iskander AS, Anagli J, Arbab AS

**Year** 2010

Species Rat

View more WB references on thermofisher.com

## Immunohistochemistry (19)

#### **BMC** cancer

# The role of CXC-chemokine receptor CXCR2 and suppressor of cytokine signaling-3 (SOCS-3) in renal cell carcinoma.

"MA5-16008 was used in immunohistochemistry to study the expression and role of CXCR2 and SOCS3 in renal cell carcinoma aggresiveness and metastasis"

Authors: Stofas A,Levidou G,Piperi C,Adamopoulos C,Dalagiorgou G,Bamias A,Karadimou A,Lainakis GA, Papadoukakis S,Stravodimos K,Dimopoulos MA,Patsouris E,Gakiopoulou H,Korkolopoulou P

**Year** 2014

Species Human

Clinical cancer research : an official journal of the American Association for Cancer Research

# The role of aberrant VHL/HIF pathway elements in predicting clinical outcome to pazopanib therapy in patients with metastatic clear-cell renal cell carcinoma.

"MA5-16008 was used in immunohistochemistry to study the value of analysing VHL/HIF pathway components for predicting the therapeutic response of metastatic clear-cell renal cell carconima patients to pazopanib"

Authors: Choueiri TK,Fay AP,Gagnon R,Lin Y,Bahamon B,Brown V,Rosenberg JE,Hutson TE,Baker-Neblett KL, Carpenter C,Liu Y,Pandite L,Signoretti S

**Year** 2013

Species Human

**Dilution** 1:10,000

View more IHC references on thermofisher.com

### More applications with references on thermofisher.com

ICC/IF (2)

**GS (1)** 

For Research Use Only, Not for use in diagnostic procedures. Not for rease without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED. A FERDIO IS LIM