Performance guarenteed'

A26C2 Monoclonal Antibody (OTI2G1)


Product Details

Species ReactivityHumanHost/IsotypeMouse / IgG1ClassMonoclonalTypeAntibodyCloneOTI2G1ConjugateUnconjugatedImmunogenFull length human recombinant protein of POTEG produced in HEK293T cellFormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerolContains0.02% sodium azide	Size	100 μL
Host/IsotypeMouse / IgG1ClassMonoclonalTypeAntibodyCloneOTI2G1ConjugateUnconjugatedImmunogenFull length human recombinant protein of POTEG produced in HEK293T cellFormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol		•
TypeAntibodyCloneOTI2G1ConjugateUnconjugatedImmunogenFull length human recombinant protein of POTEG produced in HEK293T cellFormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol		Mouse / IgG1
CloneOTI2G1ConjugateUnconjugatedImmunogenFull length human recombinant protein of POTEG produced in HEK293T cellFormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol	Class	Monoclonal
ConjugateUnconjugatedImmunogenFull length human recombinant protein of POTEG produced in HEK293T cellFormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol	Туре	Antibody
ImmunogenFull length human recombinant protein of POTEG produced in HEK293T cellFormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol	Clone	OTI2G1
FormLiquidConcentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol	Conjugate	Unconjugated
Concentration1 mg/mLPurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol	Immunogen	Full length human recombinant protein of POTEG produced in HEK293T cell
PurificationAffinity ChromatographyStorage bufferPBS, pH 7.3, with 1% BSA, 50% glycerol	Form	Liquid
Storage buffer PBS, pH 7.3, with 1% BSA, 50% glycerol	Concentration	1 mg/mL
	Purification	Affinity Chromatography
Contains 0.02% sodium azide	Storage buffer	PBS, pH 7.3, with 1% BSA, 50% glycerol
	Contains	0.02% sodium azide
Storage conditions -20° C, Avoid Freeze/Thaw Cycles	Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID AB_2723816	RRID	AB_2723816

Applications	Tested Dilution	Publications
Western Blot (WB)	1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:150	-


1

Product Images For A26C2 Monoclonal Antibody (OTI2G1)




A26C2 Antibody (MA5-26935) in IHC (P)

Immunohistochemistry was performed on paraffin-embedded carcinoma of human kidney tissue. To expose target proteins, heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3 min. Following antigen retrieval, tissues were probed with a POTEG monoclonal antibody (Product # MA5-26935) at a dilution of 1:150.



A26C2 Antibody (MA5-26935) in IHC (P)

Immunohistochemistry was performed on paraffin-embedded human endometrium tissue. To expose target proteins, heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3 min. Following antigen retrieval, tissues were probed with a POTEG monoclonal antibody (Product # MA5-26935) at a dilution of 1:150.



A26C2 Antibody (MA5-26935) in IHC (P)

Immunohistochemistry was performed on paraffin-embedded human lymph node tissue. To expose target proteins, heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3 min. Following antigen retrieval, tissues were probed with a POTEG monoclonal antibody (Product # MA5-26935) at a dilution of 1:150.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained Individuals. Unless otherwise stated in the Documentation, this warranty is unless otherwise of the general type and quality of goods and does not represent that any Product will conform to such model or sample furnished to super 1 merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample furnished to super 1 merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample furnished. Express OR INN INFRINGEMENT. BUYER'S EXCILUSIVE REMEDY FOR NON-CONFERNING PRODUCTS DURING THE WARRANTES, EXPRESS OR INMELED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICURS OR NON INFRINGEMENT. BUYER'S EXCILUSIVE REMEDY FOR NON-CONFERNING PRODUCTS DURING THE WARRANT PERIOD IS LIMITED TO REPAR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS ON THERE IS NO BUILEDTION TO REPARI. REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS ON THERE IS NO BUILATION TO REPARI. REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS ON THERE WARRANT PERIOD IS LIMITED TO REPARI. REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation acco