




EPLIN Monoclonal Antibody (OTI9F3)

Product Details		
Size	100 μL	
Species Reactivity	Human	
Host/Isotype	Mouse / IgG1	
Class	Monoclonal	
Туре	Antibody	
Clone	OTI9F3	
Conjugate	Unconjugated	
Immunogen	Human recombinant protein fragment corresponding to amino acids 1-275 of LIMA1 produced in E. coli	
Form	Liquid	
Concentration	1 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 1% BSA, 50% glycerol	
Contains	0.02% sodium azide	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2724257	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:150	-

Product Images For EPLIN Monoclonal Antibody (OTI9F3)




EPLIN Antibody (MA5-27021) in IHC (P)

Immunohistochemistry was performed on paraffin-embedded human lymphoma tissue. To expose target proteins, heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3 min. Following antigen retrieval, tissues were probed with a LIMA1 monoclonal antibody (Product # MA5-27021) at a dilution of 1:150.



EPLIN Antibody (MA5-27021) in IHC (P)

Immunohistochemistry was performed on paraffin-embedded adenocarcinoma of human ovary tissue. To expose target proteins, heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3 min. Following antigen retrieval, tissues were probed with a LIMA1 monoclonal antibody (Product # MA5-27021) at a dilution of 1:150.



EPLIN Antibody (MA5-27021) in IHC (P)

Immunohistochemistry was performed on paraffin-embedded adenocarcinoma of human colon tissue. To expose target proteins, heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3 min. Following antigen retrieval, tissues were probed with a LIMA1 monoclonal antibody (Product # MA5-27021) at a dilution of 1:150.

View more figures on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production aspectations and care accompanying package inserts (Documentation). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is immitted to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CORNORMING PRODUCTS DURING THE WARRANTY PERFIOI DIS LIMITED. ACCEDED TO REPLAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS, OT AT SELLET'S SOLE OPTION. THERE IS NO AGAIN TO TO REPLAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS. AT SELLET'S SOLE OPTION. THERE IS NO AGAIN TO TO REPLAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivy or in vivo therapeutic uses, or v