



Cortactin Recombinant Rabbit Monoclonal Antibody (SC61-08)


Product Details	
Size	100 μL
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Expression system	HEK293 cells
Class	Recombinant Monoclonal
Туре	Antibody
Clone	SC61-08
Conjugate	Unconjugated
Immunogen	Synthetic peptide within Human Cortactin aa 34-67
Form	Liquid
Concentration	1 mg/mL
Purification	Protein A
Storage buffer	TBS, pH 7.4, with 40% Glycerol, 0.05% BSA
Contains	0.05% sodium azide
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
RRID	AB_2809536

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:5,000	-
Immunohistochemistry (IHC)	1:200-1:1,000	-
Immunocytochemistry (ICC/IF)	1:100	-
Flow Cytometry (Flow)	1:1,000	-

Product Specific Information


Recombinant rabbit monoclonal antibodies are produced using in vitro expression systems. The expression systems are developed by cloning in the specific antibody DNA sequences from immunoreactive rabbits. Then, individual clones are screened to select the best candidates for production. The advantages of using recombinant rabbit monoclonal antibodies include: better specificity and sensitivity, lot-to-lot consistency, animal origin-free formulations, and broader immunoreactivity to diverse targets due to larger rabbit immune repertoire.

Product Images For Cortactin Recombinant Rabbit Monoclonal Antibody (SC61-08)




Cortactin Antibody (MA5-32250) in WB

Western blot analysis of Cortactin in different lysates using a Monoclonal antibody (Product #MA5-32250) at a dilution of 1:1,000. Positive control: Lane 1: Hela, Lane 2: NIH/3T3, Lane 3: A431.



Cortactin Antibody (MA5-32250) in ICC/IF

Immunocytochemical analysis of Cortactin in PC-3M cells using a Cortactin Monoclonal antibody (Product # MA5-32250) as seen in green. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Cortactin Antibody (MA5-32250) in ICC/IF

Immunocytochemical analysis of Cortactin in Hela cells using a Cortactin Monoclonal antibody (Product # MA5-32250) as seen in green. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production obcumentation, specifications and/or accompanying package inserts (Tocumentation). No claim of subjected to normal subjected to product is marranty fores not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO OR PEPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER'S TORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo theragetive uses, or any vivoe of consummition to hours and antiformal to the purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo theragetive uses, or any vivoe of consummition to hours and antiformal to the occumentation or the purpose, including without limitation, unauthorized commercial uses, in vitro