C/EBP beta Recombinant Rabbit Monoclonal Antibody (SC55-05)

Product Details

Size	100 µL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Expression system	HEK293 cells	
Class	Recombinant Monoclonal	
Туре	Antibody	
Clone	SC55-05	
Conjugate	Unconjugated	
Immunogen	Synthetic peptide within Rat C/EBP Beta aa 248-297.	
Form	Liquid	
Concentration	1 mg/mL	
Purification	Protein A	
Storage buffer	TBS, pH 7.4, with 40% Glycerol, 0.05% BSA	
Contains	0.05% sodium azide	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_2809538	


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-
Flow Cytometry (Flow)	1:50-1:100	-

Product Specific Information

Recombinant rabbit monoclonal antibodies are produced using in vitro expression systems. The expression systems are developed by cloning in the specific antibody DNA sequences from immunoreactive rabbits. Then, individual clones are screened to select the best candidates for production. The advantages of using recombinant rabbit monoclonal antibodies include: better specificity and sensitivity, lot-to-lot consistency, animal origin-free formulations, and broader immunoreactivity to diverse targets due to larger rabbit immune repertoire.


1

Product Images For C/EBP beta Recombinant Rabbit Monoclonal Antibody (SC55-05)




C/EBP beta Antibody (MA5-32252) in WB

Western blot analysis of C/EBP beta in different lysates using a Monoclonal antibody (Product #MA5-32252) at a dilution of 1:1,000. Positive control: Lane 1: Hela, Lane 2: PC-12.



C/EBP beta Antibody (MA5-32252) in ICC/IF

Immunocytochemical analysis of C/EBP beta in MCF-7 cells using a C/EBP beta Monoclonal antibody (Product # MA5-32252) as seen in green. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



C/EBP beta Antibody (MA5-32252) in ICC/IF

Immunocytochemical analysis of C/EBP beta in PC-12 cells using a C/EBP beta Monoclonal antibody (Product # MA5-32252) as seen in green. The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE SON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CEMALURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS. Na MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unlass otherwise expressis stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.