Performance guarenteed'

PAR4 Recombinant Rabbit Monoclonal Antibody (ARC1980)

Product Details

Size	100 µL
Species Reactivity	Human, Mouse
Host/Isotype	Rabbit / IgG
Expression system	HEK293 cells
Class	Recombinant Monoclonal
Туре	Antibody
Clone	ARC1980
Conjugate	Unconjugated
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 241-340 of human PAR4 (Q96IZ0)
Form	Liquid
Concentration	1 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.3, with 0.05% BSA, 50% glycerol
Contains	0.02% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_2898048

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:1,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-


Product Specific Information

Positive Samples: HeLa, SW620, 293T, Mouse lung

Immunogen sequence: YSRTDRSGFP RYNRDANVSG TLVSSSTLEK KIEDLEKEVV RERQENLRLV RLMQDKEEMI GKLKEEIDLL NRDLDDIEDE NEQLKQENKT LLKVVGQLTR


Product Images For PAR4 Recombinant Rabbit Monoclonal Antibody (ARC1980)

1




PAR4 Antibody (MA5-38130) in WB

Western blot analysis of PAR4 in extracts of various cell lines. Samples were incubated with PAR4 Monoclonal antibody (Product # MA5-38130) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1: 10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.



PAR4 Antibody (MA5-38130) in ICC/IF

Immunofluorescence analysis of PAR4 in HeLa cells. Samples were incubated with PAR4 Monoclonal antibody (Product # MA5-38130) using a dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



PAR4 Antibody (MA5-38130) in IHC (P)

Immunohistochemistry analysis of PAR4 in paraffin-embedded human colon carcinoma. Samples were incubated with PAR4 Monoclonal antibody (Product # MA5-38130) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

2

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTES, EXPRESS OR IMPLED, ARRANTES DE MERCHANTABILITY. THRESS FOR ANY PARTICLLAR PURPESS, COR NON-HERINGERENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(s) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR REPUND FOR THE RODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (III) MISUES, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. UNless otherwise expressly stated on the Product in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.