



alpha-2a Adrenergic Receptor Polyclonal Antibody

Product Details		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Published Species	Rat, Mouse	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Synthetic peptide corressponding to residues R(218) I Y Q I A K R R T R V P P S R R G(235) of the 3rd intracellular loop of human A2AAR.	
Form	Liquid	
Concentration	0.6 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS with 1mg/mL BSA	
Contains	0.05% sodium azide	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2225243	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500	4 Publications
Immunohistochemistry (IHC)	-	6 Publications
Immunohistochemistry (Paraffin) (IHC (P))	1:1,000	-
Immunohistochemistry (Frozen) (IHC (F))	-	2 Publications
Immunocytochemistry (ICC/IF)	-	1 Publication


Product Specific Information

PA1-048 detects alpha-2A adrenergic receptor (A2AAR) from human, rat and mouse tissues.

PA1-048 has been successfully used in Western blot and immunohistochemistry procedures. By Western blot, this antibody detects an ~45 kDa protein representing A2AAR from mouse kidney membrane preparations.

The PA1-048 immunogen is a synthetic peptide corressponding to residues R(218) I Y Q I A K R R T R V P P S R R G(235) of the 3rd intracellular loop of human A2AAR. This sequence is completely conserved between human, mouse, rat, and porcine A2AAR.

Product Images For alpha-2a Adrenergic Receptor Polyclonal Antibody



alpha-2a Adrenergic Receptor Antibody (PA1-048) in WB

Western blot analysis was performed on whole cell extracts (30 µg lysate) of PC-3 (Lane 1), HEK-293 (Lane 2), T47D (Lane 3) and HEL 92.1.7 (lane 4). The blots were probed with Anti-alpha-2a Adrenergic Receptor Rabbit Polyclonal Antibody (Product # PA1-048, 1:250-1:1000 dilution) and detected by chemiluminescence using Goat anti-Rabbit IgG (H+L) Secondary Antibody, HRP conjugate (Product # G-21234, 1:5000 dilution). Two bands 60 and 50 kDa corresponding to alpha-2a Adrenergic Receptor was observed across the cell lines tested. Known quantity of protein samples were electrophoresed using Novex® NuPAGE® 12 % Bis-Tris gel (Product # NP0342BOX), XCell SureLock™ Electrophoresis System (Product # El0002) and Novex® Sharp Pre-Stained Protein Standard (Product # LC5800). Resolved proteins were then transferred onto a nitrocellulose membrane with iBlot® 2 Dry Blotting System (Product # IB21001). The membrane was probed with the relevant primary and secondary Antibody following blocking with 5 % skimmed milk. Chemiluminescent detection was performed using Pierce™ ECL Western Blotting Substrate (Product # 32106).

View more figures on thermofisher.com

□ 13 References

Western Blot (4)

ASN neuro

Norepinephrine Regulation of Adrenergic Receptor Expression, 5' AMP-Activated Protein Kinase Activity, and Glycogen Metabolism and Mass in Male Versus Female Hypothalamic Primary Astrocyte Cultures.

"PA1-048 was used in Western Blot to investigate the premise that NE imposes sex-specific direct control of AMPK activity and glycogen mass and metabolism in these glia, using a rat hypothalamic astrocyte primary culture model." Authors: Ibrahim MMH,Bheemanapally K,Sylvester PW,Briski KP

Year 2021

Species Rat

Dilution 1:1000

Frontiers in pharmacology

Zerumbone Modulates _{2A}-Adrenergic, TRPV1, and NMDA NR2B Receptors Plasticity in CCI-Induced Neuropathic Pain *In Vivo* and LPS-Induced SH-SY5Y Neuroblastoma *In Vitro* Models.

"Published figure using alpha-2a Adrenergic Receptor polyclonal antibody (Product # PA1-048) in Western Blot" Authors: Chia JSM,Izham NAM,Farouk AAO,Sulaiman MR,Mustafa S,Hutchinson MR,Perimal EK

Year 2020

View more WB references on thermofisher.com

Immunohistochemistry (6)

Translational neuroscience

Singular versus combinatory glucose-sensitive signal control of metabolic sensor protein profiles in hypothalamic astrocyte cultures from each sex.

"PA1-048 was used in Immunohistochemistry-immunofluorescence to show that DEX and NE regulation of GLUT2 is sex-monomorphic, but both stimuli impose divergent sex-specific effects on AMPK and pAMPK."

Authors: Alhamyani A, Napit PR, Bheemanapally K, Sylvester PW, Briski KP

Year 2022

Species Rat

Dilution 1:1000

Scientific reports

Carotid smooth muscle contractility changes after severe burn.

"PA1-048 was used in Immunohistochemistry to investigate the changes in carotid artery contractility and relaxation following a severe burn."

Authors: DeSpain K,Rosenfeld CR,Huebinger R,Wang X,Jay JW,Radhakrishnan RS,Wolf SE,Song J

Year 2021

Species Rat

Dilution 1:75

View more IHC references on thermofisher.com

More applications with references on thermofisher.com

IHC (F) (2) ICC/IF (1)

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production of source. Specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NOI INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED REPORTED FOR PERION ESPICIAL PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or any type of consumption to human or antion to the documentation to hu