



Survivin Polyclonal Antibody

Product Details		
Size	100 μL	
Species Reactivity	Dog, Cat, Guinea pig, Hamster, Human, Mouse, Rat	
Published Species	Rat, Mouse, Human	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant human survivin, full-length.	
Form	Liquid	
Concentration	1 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS	
Contains	0.02% sodium azide	
Storage conditions	-20°C or -80°C if preferred	
RRID	AB_568741	


Applications	Tested Dilution	Publications
Western Blot (WB)	1:1,000	5 Publications
Immunohistochemistry (IHC)	-	2 Publications
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:500	-
Immunohistochemistry (Frozen) (IHC (F))	Assay-Dependent	-
Immunocytochemistry (ICC/IF)	1:50-1:250	-
Flow Cytometry (Flow)	Assay-Dependent	-
ELISA (ELISA)	Assay-Dependent	1 Publication
Immunoprecipitation (IP)	1:10-1:500	1 Publication
ChIP assay (ChIP)	1:10-1:500	1 Publication

Product Specific Information

For IHC, prior antigen retrieval (pressure cooking) is recommended for cytoplasmic and nuclear detection of Survivin.


Suggested positive control: Hela whole cell extract, antigen standard for BIRC5 (transient overexpression lysate).

Product Images For Survivin Polyclonal Antibody




Survivin Antibody (PA1-16836) in WB

Western blot analysis was performed on whole cell extracts (30 μg lysate) of HT29 (Lane 1), HeLa (Lane 2), MCF7 (Lane 3), SK-BR-3 (Lane 4) and SK-BR-3 treated with LY294002 (10uM for 24 hours) (Lane 5). The blot was probed with Anti-Survivin Polyclonal Antibody (Product # PA1-16836, 1μg/mL dilution) and detected by chemiluminescence using Goat anti-Rabbit IgG (Heavy Chain) SuperclonalTM Secondary Antibody, HRP conjugate (Product # A27036, 0.25 μg /mL, 1:4000 dilution). A 17 kDa band corresponding to Survivin was observed in all the cell lines tested and was observed to reduce in SK-BR-3 cell line upon treatment with LY294002.



Survivin Antibody (PA1-16836)

Altered expression of target protein upon cell treatment demonstrates antibody specificity. Western blot analysis of Survivin using Survivin Polyclonal Antibody (Product # PA1-16836) shows a reduction in expression of Survivin in the SK-BR-3 cell line upon LY294002 treatment. {TM}



Survivin Antibody (PA1-16836)

Antibody specificity was demonstrated by showing that antibodies raised against the same target protein perform similarly. Western blot of Survivin using Survivin Polyclonal Antibody (Product # PA1-16836), tested in parallel with Survivin Antibody (9H18L32), Recombinant Rabbit Monoclonal (Product # 700387), shows similar expression of Survivin in the cell lines tested. {IAV}

View more figures on thermofisher.com

□ 10 References

Western Blot (5)

Scientific reports

In vivo analysis of onset and progression of retinal degeneration in the Nr2e3^{rd7/rd7} mouse model of enhanced S-cone sensitivity syndrome.

Year 2021

"Published figure using Survivin polyclonal antibody (Product # PA1-16836) in Western Blot"

Authors: Venturini G,Kokona D,Steiner BL,Bulla EG,Jovanovic J,Zinkernagel MS,Escher P

Stem cell research & therapy

Pulsed focused ultrasound enhances the therapeutic effect of mesenchymal stromal cell-derived extracellular vesicles in acute kidney injury.

"PA1-16836 was used in Western Blotting to show that pFUS may be a strategy for enhancing the therapeutic efficacy of MSC-derived EV treatment for the treatment of AKI.

Authors: Ullah M,Liu DD,Rai S,Razavi M,Concepcion W,Thakor AS

Year 2020

Species Mouse

Dilution 1:200

View more WB references on thermofisher.com

Immunohistochemistry (2)

The European journal of neuroscience

Suppression of phosphodiesterase IV enzyme by roflumilast ameliorates cognitive dysfunction in aged rats after sevoflurane anaesthesia via PKA-CREB and MEK/ERK pathways.

"PA1-16836 was used in Immunohistochemistry to demonstrate that RF treatment promotes neuronal activity by maintaining cAMP levels and sustaining the activation of PKA-CREB and MEK/ERK pathways, offering novel insights for POCD therapy."

Authors: Liu P, Wang J, Peng S, Zhang D, Zhuang L, Liu C, Zhang Y, Shi X

Year 2022

Species Rat

> Dilution 1:100

Hematological oncology

Cancer testis antigen expression across T-cell lymphoma subtypes.

"Published figure using Survivin polyclonal antibody (Product # PA1-16836) in Immunohistochemistry" Authors: Ma H,Soderquist CR,Marchi E,Scotto L,Bhagat G,O'Connor OA

Year 2020

More applications with references on thermofisher.com

ELISA (1)

IP (1) ChIP (1)

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation ER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals