

SRC1 Polyclonal Antibody

Product Details	
Size	100 µg
Species Reactivity	Avian, Human, Mouse
Published Species	Avian, Rat, Amphibian, Human, Mouse, Chicken
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Type	Antibody
Conjugate	Unconjugated
Immunogen	Synthetic peptide corresponding to residues S(8) S D P A N P D S H K R K G S P C(24) of human SRC-1.
Form	Liquid
Concentration	1 mg/mL
Purification	Antigen affinity chromatography
Storage buffer	PBS with 1mg/mL BSA
Contains	0.05% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_2251288

Applications	Tested Dilution	Publications
Western Blot (WB)	1 µg/mL	8 Publications
Immunohistochemistry (IHC)	-	4 Publications
Immunohistochemistry (Frozen) (IHC (F))	1 µg/mL	-
Immunocytochemistry (ICC/IF)	1-2 µg/mL	-
Immunoprecipitation (IP)	-	1 Publication
ChIP assay (ChIP)	-	1 Publication


Product Specific Information

PA1-840 detects steroid receptor coactivator-1 (SRC-1) from human, mouse, and japeeneese quail tissues and cells.

PA1-840 has been successfully used in Western blot, immunocytochemistry and immunohistochemistry procedures. By Western blot, this antibody detects an ~165 kDa protein representing SRC-1 and a smaller, unknown protein at ~40 kDa from HeLa cell lysate. Immunocytochemical staining of SRC-1 in HeLa cells with PA1-840 results in nuclear staining.

The PA1-840 immunogen is a synthetic peptide corresponding to residues S(8) S D P A N P D S H K R K G S P C(24) of human SRC-1. This immunizing peptide (Cat. # PEP-044) is available for use in neutralization and control experiments.

Product Images For SRC1 Polyclonal Antibody



SRC1 Antibody (PA1-840)

Antibody specificity was demonstrated by CRISPR-Cas9 mediated knockout of target protein. A loss of signal was observed for target protein in SRC1 KO cell line compared to control cell line using SRC1 Polyclonal Antibody (Product # PA1-840). {KO}

SRC1 Antibody (PA1-840) in ICC/IF

Immunofluorescence analysis of SRC1 was done on 70% confluent log phase A549 cells. The cells were fixed with 4% paraformaldehyde for 15 minutes, permeabilized with 0.25% Triton™ X-100 for 10 minutes, and blocked with 5% BSA for 1 hour at room temperature. The cells were labeled with SRC1 Rabbit Polyclonal Antibody (Product # PA1-840) at 1 µg/mL in 1% BSA and incubated for 3 hours at room temperature and then labeled with Goat anti-Rabbit IgG (Heavy Chain) Superclonal™ Secondary Antibody, Alexa Fluor® 488 conjugate (Product # A27034) at a dilution of 1:2000 for 45 minutes at room temperature (Panel a: green). Nuclei (Panel b: blue) were stained with SlowFade® Gold Antifade Mountant with DAPI (Product # S36938). F-actin (Panel c: red) was stained with Alexa Fluor® 555 Rhodamine Phalloidin (Product # R415, 1:300). Panel d is a merged image showing Nuclear localization. Panel e is a no primary antibody control. The images were captured at 60X magnification.





Fig. 1



SRC1 Antibody (PA1-840) in ICC/IF

Immunolocalization of SRC-1 in HeLa cells using Product # PA1-840.

View more figures on thermofisher.cn

Western Blot (8)

<p>General and comparative endocrinology</p> <p>Seasonal and sexual dimorphisms in expression of androgen receptor and its coactivators in brain and peripheral copulatory tissues of the green anole.</p> <p>"PA1-840 was used in western blot to study the role of the androgen receptor and its co-activators in regulating the seasonal breeding of the green anole lizard"</p> <p>Authors: Kerver HN,Wade J</p>	<p>Year 2013</p> <p>Species Amphibian</p> <p>Dilution 2 µg/mL</p>
<p>Molecular endocrinology (Baltimore, Md.)</p> <p>Research resource: identification of novel coregulators specific for thyroid hormone receptor-2.</p> <p>"PA1-840 was used in Western Blotting to identify a series of previously unrecognized proteins that selectively interact with thyroid hormone receptor2, compared with the more widely expressed TR1."</p> <p>Authors: Hahm JB,Privalsky ML</p>	<p>Year 2013</p> <p>Species Human</p>

[View more WB references on thermofisher.cn](#)

Immunohistochemistry (4)

<p>General and comparative endocrinology</p> <p>Distribution and sexually dimorphic expression of steroid receptor coactivator-1 (SRC-1) in the zebra finch brain.</p> <p>"PA1-840 was used in immunohistochemistry to identify the effect of steroid hormone levels on SRC-1 expression"</p> <p>Authors: Duncan KA,Jimenez P,Carruth LL</p>	<p>Year 2011</p> <p>Species Avian</p> <p>Dilution 1:1000</p>
<p>The Prostate</p> <p>Screening of genetic and expression alterations of SRC1 gene in prostate cancer.</p> <p>"PA1-840 was used in immunohistochemistry to investigate SRC1 mutations in prostate cancer"</p> <p>Authors: Mäki HE,Waltering KK,Wallén MJ,Martikainen PM,Tammela TL,van Weerden WM,Vessella RL,Visakorpi T</p>	<p>Year 2006</p> <p>Species Human</p> <p>Dilution 1:200</p>

[View more IHC references on thermofisher.cn](#)

More applications with references on thermofisher.cn

IP (1) ChIP (1)

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.