

# **CLIC1 Polyclonal Antibody**


100 μL
Human, Mouse, Rat
Rabbit / IgG
Polyclonal
Antibody
Unconjugated
Recombinant fusion protein containing a sequence corresponding to amino acids 42-241 of human CLIC1 (NP_001279.2).
Liquid
2.58 mg/mL
Antigen affinity chromatography
PBS, pH 7.3, with 50% glycerol
0.02% sodium azide
-20° C, Avoid Freeze/Thaw Cycles
AB_2854963

Applications	Tested Dilution	Publications
Immunocytochemistry (ICC)	1:10-1:100	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Western Blot (WB)	1:500-1:2000	-

## **Product Specific Information**


Sequence of this protein is as follows: NVTTVDTKRR TETVQKLCPG GQLPFLLYGT EVHTDTNKIE EFLEAVLCPP RYPKLAALNP ESNTAGLDIF AKFSAYIKNS NPALNDNLEK GLLKALKVLD NYLTSPLPEE VDETSAEDEG VSQRKFLDGN ELTLADCNLL PKLHIVQVVC KKYRGFTIPE AFRGVHRYLS NAYAREEFAS TCPDDEEIEL AYEQVAKALK

# **Product Images For CLIC1 Polyclonal Antibody**




#### CLIC1 Antibody (PA5-109552) in ICC

Immunocytochemistry analysis of CLIC1 in HeLa cells. Samples were incubated in polyclonal CLIC1 antibody (Product # PA5-109552) using a dilution of 1:50, followed by DAPI.



### CLIC1 Antibody (PA5-109552) in IHC (P)

Immunohistochemistry analysis of CLIC1 in paraffin-embedded rat brain tissue. Samples were incubated in polyclonal CLIC1 antibody (Product # PA5-109552) using a dilution of 1:100.



#### CLIC1 Antibody (PA5-109552) in WB

Western blot analysis of CLIC1 in MCF7, Jurkat, HeLa, HepG2, mouse kidney, mouse lung, rat kidney. Samples were incubated in polyclonal CLIC1 antibody (Product # PA5-109552) using a dilution of 1:1000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10000.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No O'THER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED, ARE GRANTE