Performance guarenteed'

# **SHP2 Polyclonal Antibody**

### **Product Details**

Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 514-593 of human SHP2 (NP_0028253)	
Form	Liquid	
Concentration	0.73 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 50% glycerol	
Contains	0.05% ProClin 300	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2914404	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:1,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:100	-
Immunocytochemistry (ICC/IF)	1:50-1:100	-


### **Product Specific Information**

Positive test controls include: HeLa, Jurkat, Mouse brain. The target is usually found in the following locations: Cytoplasm.

Immunogen sequence: IYMAVQHYIE TLQRRIEEEQ KSKRKGHEYT NIKYSLADQT SGDQSPLPPC TPTPPCAEMR EDSARVYENV GLMQQQKSFR

Product Images For SHP2 Polyclonal Antibody

1




### SHP2 Antibody (PA5-120832) in WB

Western blot analysis of SHP2 in extracts of various cell lines. Samples were incubated with SHP2 Polyclonal antibody (Product # PA5-120832) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1: 10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 3s.

### SHP2 Antibody (PA5-120832) in ICC/IF

Immunofluorescence analysis of SHP2 in PC-12 cells. Samples were incubated with SHP2 Polyclonal antibody (Product # PA5-120832) using a dilution of 1:200 (40x lens). Blue: DAPI for nuclear staining.



### SHP2 Antibody (PA5-120832) in IHC (P)

Immunohistochemistry analysis of SHP2 in paraffin-embedded human gastric cancer. Samples were incubated with SHP2 Polyclonal antibody (Product # PA5-120832) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

2

## View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are waranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product till conform to such model or sample. No OTHER WARRANTES, EXPRESS OR IMPLED, AARRANTES, EXPRESS TOR ANY PARTICULAR PURPOSE, QR NON INFRINCEMENT. BUYERS'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE RODUCTS). A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. Unless otherwise expressely stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to numaria.