Performance guarenteed'

# **Factor XI Polyclonal Antibody**

### **Product Details**

Size	100 μL	
Species Reactivity	Human	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fragment corresponding to a region within amino acids 1 and 312 of Factor XI (Uniprot ID#P03951)	
Form	Liquid	
Concentration	0.85 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS, pH 7, with 20% glycerol, 1% BSA	
Contains	0.01% thimerosal	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_11153977	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:3,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:100-1:1,000	-

## **Product Specific Information**


Recommended positive controls: 293T, Raji.

Predicted reactivity: Dog (83%), Rabbit (82%).

Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.


1

## Product Images For Factor XI Polyclonal Antibody




## Factor XI Antibody (PA5-21713) in IHC (P)

Immunohistochemical analysis of paraffin-embedded human breast cancer, using Factor XI (Product # PA5-21713) antibody at 1:250 dilution. Antigen Retrieval: EDTA based buffer, pH 8.0, 15 min.



## Factor XI Antibody (PA5-21713) in WB

Western Blot using Factor XI Polyclonal Antibody (Product # PA5-21713). Human plasma ( $30 \mu g$ ) was separated by 7.5% SDS-PAGE, and the membrane was blotted with Factor XI Polyclonal Antibody (Product # PA5-21713) diluted at 1:1,000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



#### Factor XI Antibody (PA5-21713) in WB

Western Blot using Factor XI Polyclonal Antibody (Product # PA5-21713). Sample (30 µg of whole cell lysate). Lane A: Jurkat. 7.5% SDS PAGE. Factor XI Polyclonal Antibody (Product # PA5-21713) diluted at 1:2,000. For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS ON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CENT. THERE IS NO OBLIGATION TO FORCE MAJEURE, (III) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS) AS THERE WORD DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. Unless otherwise expressing stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.