Performance guarenteed

WDR1 Polyclonal Antibody

Product Details

Size	100 µL		
Species Reactivity	Human, Mouse		
Host/Isotype	Rabbit / IgG		
Class	Polyclonal		
Туре	Antibody		
Conjugate	Unconjugated		
Immunogen	Recombinant fragment corresponding to a region within amino acids 387 and 606 of Human WDR1		
Form	Liquid		
Concentration	1 mg/mL		
Purification	Antigen affinity chromatography		
Storage buffer	0.1M tris glycine, pH 7, with 10% glycerol		
Contains	0.01% thimerosal		
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.		
RRID	AB_2545121		

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:5,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:100-1:1,000	-

Product Specific Information


Recommended positive controls: Raji, mouse brain.

Predicted reactivity: Mouse (96%), Rat (96%), Dog (96%), Chicken (84%), Chimpanzee (98%), Bovine (96%), Guinea pig (93%).

Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.


1

Product Images For WDR1 Polyclonal Antibody




WDR1 Antibody (PA5-27645) in IHC (P)

WDR1 Polyclonal Antibody detects WDR1 protein at cytosol on U87 xenograft by immunohistochemical analysis. Sample: Paraffin-embedded U87 xenograft. WDR1 Polyclonal Antibody (Product # PA5-27645) dilution: 1:500. Antigen Retrieval: EDTA based buffer, pH 8.0, 15 min.



WDR1 Antibody (PA5-27645) in IHC (P)

WDR1 Polyclonal Antibody detects WDR1 protein at cytosol on mouse liver by immunohistochemical analysis. Sample: Paraffin-embedded mouse liver. WDR1 Polyclonal Antibody (Product # PA5-27645) dilution: 1:500. Antigen Retrieval: EDTA based buffer, pH 8.0, 15 min.



WDR1 Antibody (PA5-27645) in WB

Western Blot using WDR1 Polyclonal Antibody (Product # PA5-27645). Sample (50 µg of whole cell lysate). Lane A: Mouse brain . 7.5% SDS PAGE. WDR1 Polyclonal Antibody (Product # PA5-27645) diluted at 1:5,000.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS ON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CENT. THERE IS NO OBLIGATION TO FORCE MAJEURE, (III) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS) AS THERE WORD DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. Unless otherwise expressing stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.