



Protein C Polyclonal Antibody

Product Details		
Size	100 μL	
Species Reactivity	Human	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fragment corresponding to a region within amino acids 1 and 236 of Human Protein C	
Form	Liquid	
Concentration	1 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS, pH 7, with 1% BSA, 20% glycerol	
Contains	0.01% thimerosal	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_2545797	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:3,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:100-1:1,000	-
Immunocytochemistry (ICC/IF)	1:100-1:1,000	-


Product Specific Information

Recommended positive controls: HepG2, HCT116.

Predicted reactivity: Dog (80%).


Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

Product Images For Protein C Polyclonal Antibody



Protein C Antibody (PA5-28321) in IHC (P)

Immunohistochemical analysis of paraffin-embedded human breast cancer, using Protein C (Product # PA5-28321) antibody at 1:250 dilution. Antigen Retrieval: EDTA based buffer, pH 8.0, 15 min.



Protein C Antibody (PA5-28321) in WB

Western blot analysis of Protein Ć was performed by separating 30 µg of HepG2 whole cell extract and conditioned medium by 10% SDS-PAGE. Proteins were transferred to a membrane and probed with a Protein C Polyclonal Antibody (Product # PA5-28321) at a dilution of 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.

For Nessearch use Only, Not for use in diagnostic procedures. Not for reside without express authorization, Products are warranted to operate or perform substantially in conformance with published Product specifications in effects and for accompanying package interest ("Documentation,") No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid not he