

Phospho-c-Jun (Tyr170) Polyclonal Antibody

Product Details		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Synthetic phosphopeptide derived from human c-Jun around the phosphorylation site of Tyrosine 170	
Form	Liquid	
Concentration	1 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS, pH 7.2, with 50% glycerol	
Contains	0.02% sodium azide	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_2553626	


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:1,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-

Product Specific Information

This antibody detects endogenous protein at a molecular weight of 43 and 48 kDa.


Purity is >95% by SDS-PAGE.

Product Images For Phospho-c-Jun (Tyr170) Polyclonal Antibody




Phospho-c-Jun (Tyr170) Antibody (PA5-36634) in WB

Western blot analysis of Phospho-c-Jun (Tyr170) in Lane 1: PC3 whole cell lysate (40 μ g), Lane 2: HEK293T whole cell lysate (40 μ g), Lane 3: the Kidney tissue lysate of rat (40 μ g), Lane 4: the Kidney tissue lysate of mouse (40 μ g). Samples were incubated with Phospho-c-Jun (Tyr170) polyclonal antibody (Product # PA5-36634) at a dilution of 1:500.



Phospho-c-Jun (Tyr170) Antibody (PA5-36634) in WB

Western blot analysis of Phospho-c-Jun pTyr170 using Phospho-c-Jun pTyr170 polyclonal antibody (Product # PA5-36634) at a dilution of 1:500. Lane 1: HEK293T cell lysate teated with UV, Lane 2: NIH-3T3 cell lysate lysate teated with UV, Lane 3: H9C2 cell lysate lysate teated with UV.



Phospho-c-Jun (Tyr170) Antibody (PA5-36634) in IHC (P)

Immunohistochemistry analysis of Phospho-c-Jun (Tyr170) in paraffin-embedded human lung carcinoma tissue (nucleus staining) and negative control (right, with PBS only). Samples were incubated with Phospho-c-Jun (Tyr170) polyclonal antibody (Product # PA5-36634) at a dilution of 1:50, followed by goat Anti-Rabbit IgG-biotin and avidin peroxidase.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production of occumentation, specifications and/or accompanying package inserts ("Documentation"). No claim of viable in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer in merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CORPORNING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED ACCIDENT. THE IS NO ACCIDENT, DISASTER OR EVENT OF FOR THE WARRANTY PERIOD IS LIMITED. AND ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption to human or antification to human or antification.