



UCN2 Polyclonal Antibody

Product Details	
Size	100 μL
Species Reactivity	Human
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant Human UCN2
Form	Liquid
Concentration	0.1 mg/mL
Purification	Antigen affinity chromatography
Storage buffer	PBS, pH 7.2, with 40% glycerol
Contains	0.02% sodium azide
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.
RRID	AB_2664478


Applications	Tested Dilution	Publications
Western Blot (WB)	0.04-0.4 μg/mL	-
Immunohistochemistry (IHC)	1:50-1:200	-
Immunocytochemistry (ICC/IF)	0.25-2 μg/mL	-

Product Specific Information

Immunogen sequence: SPSAAPTWPWA AQSHCSPTRH PGSRIVLSLD VPIGLLQILL EQARARAARE QATTNARILA RV


Highest antigen sequence identity to the following orthologs - mouse 57%, rat 60%.

Product Images For UCN2 Polyclonal Antibody




UCN2 Antibody (PA5-66875) in WB

Western blot analysis of UCN2 in human cell line RT-4, human cell line U-251 MG, human plasma and human liver tissue. Samples were probed using an UCN2 Polyclonal Antibody (Product # PA5-66875).



UCN2 Antibody (PA5-66875) in ICC/IF

Immunofluorescent staining of UCN2 in human cell line U-251 MG shows localization to vesicles. Samples were probed using an UCN2 Polyclonal Antibody (Product # PA5-66875).



UCN2 Antibody (PA5-66875) in IHC

Immunohistochemical staining of UCN2 in human duodenum shows moderate cytoplasmic positivity in glandular cells. Samples were probed using an UCN2 Polyclonal Antibody (Product # PA5-66875).

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEA REGRANTED INITY, IMPLIED WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR AND INTERIST. AND INTERIST SOR AND INTERIST. AND INTERIST, INTERIST SOR AND INTERIST, INTERIST, INTERIST, IN