



CDK6 Polyclonal Antibody


Product Details		
Size	100 μg	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	E. coli-derived human Cdk6 recombinant protein (Position: M1-A326).	
Form	Lyophilized	
Concentration	500 μg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS with 4mg trehalose	
Contains	0.05mg sodium azide	
Storage conditions	-20°C	
RRID	AB_2746143	

Applications	Tested Dilution	Publications
Western Blot (WB)	0.1-0.5 μg/mL	-
Immunohistochemistry (Paraffin) (IHC (P))	0.5-1 μg/mL	-

Product Specific Information


Reconstitute with 0.2 mL of distilled water to yield a concentration of 500 µg/mL.

Product Images For CDK6 Polyclonal Antibody




CDK6 Antibody (PA5-79027) in WB

Western blot analysis of CDK6 in Lane 1: human HeLa whole cell lysate, Lane 2: human SGC-7901 whole cell lysate, Lane 3: human K562 whole cell lysate, Lane 4: mouse SP20 whole cell lysate using 50 μ g (reducing conditions) per well. Electrophoresis was performed on 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours and protein was transferred to a nitrocellulose membrane at 150mA for 50-90 minutes. Sample was blocked with 5% Non-fat Milk/TBS for 1.5 hours at room temperature, incubated with CDK6 polyclonal antibody (Product # PA5-79027) at a dilution of 0.5 μ g/mL (overnight at 4°C), followed by goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1: 10,000. Signal development was performed using a chemiluminescence (ECL) kit.



CDK6 Antibody (PA5-79027) in IHC (P)

Immunohistochemistry analysis of CDK6 on paraffin-embedded human intestinal cancer tissue. Antigen retrieval was performed using citrate buffer (pH6, epitope retrieval solution) for 20 mins. Sample was blocked using 10% goat serum, incubated with CDK6 polyclonal antibody (Product# PA5-79027) with a dilution of 2 µg/mL (overnight at 4°C), followed by biotinylated goat anti-rabbit IgG (30 minutes at 37°C). Development was performed using Streptavidin-Biotin-Complex (SABC) with DAB chromogen method.



CDK6 Antibody (PA5-79027) in IHC (P)

Immunohistochemistry analysis of CDK6 on paraffin-embedded human mammary cancer tissue. Antigen retrieval was performed using citrate buffer (pH6, epitope retrieval solution) for 20 mins. Sample was blocked using 10% goat serum, incubated with CDK6 polyclonal antibody (Product# PA5-79027) with a dilution of 2 µg/mL (overnight at 4°C), followed by biotinylated goat anti-rabbit IgG (30 minutes at 37°C). Development was performed using Streptavidin-Biotin-Complex (SABC) with DAB chromogen method.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEA REGRANTED INITY, IMPLIED WARRANTIES, EXPERESS OR IMPLEA REPRESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR ANY PARTICULAR WARRANTIES, EXPERESS OR IMPLEAD IN INITY, INTERIST SOR AND INTERIST. AND INTERIST SOR AND INTERIST. AND INTERIST, INTERIST SOR AND INTERIST, INTERIST, INTERIST, IN