Performance guarenteed

MAOA Polyclonal Antibody

Product Details

Size	100 µg
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human MAOA (457-493aa REVLNGLGKVTEKDIWVQEPESKDVPAVEITHTFWER).
Form	Lyophilized
Concentration	500 μg/mL
Purification	Antigen affinity chromatography
Storage buffer	PBS with 5mg BSA
Contains	0.05mg sodium azide
Storage conditions	-20°C
RRID	AB_2746738


Applications	Tested Dilution	Publications
Western Blot (WB)	0.1-0.5 μg/mL	-
Immunohistochemistry (Paraffin) (IHC (P))	0.5-1 μg/mL	-
Immunocytochemistry (ICC/IF)	5 μg/mL	-
Flow Cytometry (Flow)	1-3 µg/1x10^6 cells	-

Product Specific Information

Reconstitute with 0.2 mL of distilled water to yield a concentration of 500 $\mu\text{g/mL}.$


1

Product Images For MAOA Polyclonal Antibody




MAOA Antibody (PA5-79623) in WB

Western blot analysis of MAOA in Lane 1: rat kidney tissue lysate, Lane 2: mouse kidney tissue lysate, Lane 3: COLO320 whole cell lysate, Lane 4: HEPG2 whole cell lysate, Lane 5: HEPA whole cell lysate using 40-50 μ g per well. Sample was incubated with MAOA (Product # PA5-79623) at a dilution of 0.5 μ g /mL.



MAOA Antibody (PA5-79623) in ICC/IF

Immunocytochemistry analysis of MAOA using anti-MAOA antibody (Product # PA5-79623) . MAOA was detected in a section of U2OS cells. Enzyme antigen retrieval was performed using IHC enzyme antigen retrieval reagent for 15 mins. The cells were blocked with 10% goat serum and then incubated with 5g/mL rabbit anti-MAOA antibody (Product # PA5-79623) overnight at 4°C. DyLight®488 Conjugated Goat Anti-Rabbit IgG was used as secondary antibody at 1:100 dilution and incubated for 30 minutes at 37°C. The section was counterstained with DAPI. Visualize using a fluorescence microscope and filter sets appropriate for the label used.



MAOA Antibody (PA5-79623) in IHC (P)

Immunohistochemistry analysis of MAOA on paraffin-embedded human intestinal cancer tissue. Sample was incubated with MAOA polyclonal antibody (Product# PA5-79623).

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE SON OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS). A MANNER FOR EVENT OF FOR CEMALURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS. Na MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unlass otherwise expressis stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo thrapeutic uses, or any type of consumption by or application to human or animals.