



# **AHR Polyclonal Antibody**

<b>Product Details</b>		
Size	100 μL	
Species Reactivity	Human, Mouse	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant protein encompassing a sequence within the C-terminus region of human AHR.	
Form	Liquid	
Concentration	0.75 mg/mL	
Purification	Antigen affinity chromatography	
Storage buffer	PBS, pH 7, with 20% glycerol	
Contains	0.025% ProClin 300	
Storage conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.	
RRID	AB_2792678	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:3,000	-


### **Product Specific Information**

Keep as concentrated solution.

Positive Control: 293T, A431, HeLa, HepG2, Neuro2A, C8D30, NIH-3T3, Raw264.7, C2C12.


Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

## **Product Images For AHR Polyclonal Antibody**




### AHR Antibody (PA5-85538) in WB

Western blot analysis of AHR in various whole cell extracts using AHR polyclonal antibody (Product # PA5-85538) using 30  $\mu$ g of sample at a dilution of 1:1000. Sample was then incubated with HRP-conjugated anti-rabbit IgG secondary antibody. Prior to incubation with primary antibody, the sample was separated on 7.5% SDS-PAGE.



#### AHR Antibody (PA5-85538) in WB

Western Blot using AHR Polyclonal Antibody (Product # PA5-85538). Various whole cell extracts (30  $\mu$ g) were separated by 7.5% SDS-PAGE, and the membrane was blotted with AHR Polyclonal Antibody (Product # PA5-85538) diluted at 1:1,000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.



### AHR Antibody (PA5-85538) in WB

Western Blot analysis of AHR was performed by separating 30 µg of various whole cell extracts by 7.5% SDS-PAGE. Proteins were transferred to a membrane and probed with a AHR Polyclonal Antibody (Product # PA5-85538) at a dilution of 1:1000 and a HRP-conjugated anti-rabbit IgG secondary antibody.

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPERESS OR IMPLETS. ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY, ETITISHES FOR ANY PARTICULAR PURPOSE, OR NON INFINIOEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTIES, EXPERESS OR IMPLETS AND ACCIDENT SET THE NON-CONFORMING PRODUCTS DURING THE WARRANTIES, EXPELACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS DATE OR THE NON-CONFORMING PRODUCTS DATE OR EVENT OF PROCE MAJEURE, (II) WISSUE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or any type of consumption by or application to human or animals.