



# **Mtmr9 Polyclonal Antibody**


<b>Product Details</b>		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-250 of human MTMR9 (NP_0562732)	
Form	Liquid	
Concentration	1.35 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 50% glycerol	
Contains	0.01% thimerosal	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2805289	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:1,000-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-

# **Product Specific Information**


Immunogen sequence: MEFAELIKTP RVDNVVLHRP FYPAVEGTLC LTGHHLILSS RQDNTEELWL LHSNIDAIDK RFVGSLGTII IKCKDFRIIQ LDIPGMEECL NIASSIEALS TLDSITLMYP FFYRPMFEVI EDGWHSFLPE QEFELYSSAT SEWRLSYVNK EFAVCPSYPP IVTVPKSIDD EALRKVATFR HGGRFPVLSY YHKKNGMVIM RSGQPLTGTN GRRCKEDEKL INATLRAGKR GYIIDTRSLN VAQQTRAKGG; Positive Samples: HepG2, HeLa, Jurkat, A-549, Mouse brain, Rat brain, Rat lung; Cellular Location: Cytoplasm

## **Product Images For Mtmr9 Polyclonal Antibody**




#### Mtmr9 Antibody (PA5-89003) in ICC/IF

Immunofluorescence analysis of Mtmr9 in L929 cells. Samples were incubated with Mtmr9 Polyclonal antibody (Product # PA5-89003) using a dilution of 1:100. Blue: DAPI for nuclear staining.



## Mtmr9 Antibody (PA5-89003) in ICC/IF

Immunofluorescence analysis of Mtmr9 in HeLa cells. Samples were incubated with Mtmr9 Polyclonal antibody (Product # PA5-89003) using a dilution of 1:100. Blue: DAPI for nuclear staining.



#### Mtmr9 Antibody (PA5-89003) in IHC (P)

Immunohistochemistry analysis of Mtmr9 in paraffin-embedded human lung cancer. Samples were incubated with Mtmr9 Polyclonal antibody (Product # PA5-89003) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

## View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERSS OR IMPLEA BERGESANTED INITY INTENSES FOR AMPLEANTIES, THE PROPOSE, OR NON HERRIGEMENT.
BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCT(S) AT SELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.