



# **SLC7A2 Polyclonal Antibody**

| 100 μL   |
|--|
| Human, Mouse, Rat  |
| Rabbit / IgG   |
| Polyclonal   |
| Antibody   |
| Unconjugated   |
| A synthetic peptide corresponding to a sequence within amino acids 559-658 of human SLC7A2 (NP_0010085393) |
| Liquid   |
| 1.18 mg/mL   |
| Affinity Chromatography  |
| PBS, pH 7.3, with 50% glycerol   |
| 0.05% ProClin 300  |
| -20° C, Avoid Freeze/Thaw Cycles   |
| AB_2805837   |
|  |

| Applications                              | Tested Dilution | Publications |
|---|-----------------|--------------|
| Western Blot (WB)                         | 1:500-1:1,000   | -            |
| Immunohistochemistry (Paraffin) (IHC (P)) | 1:50-1:100      | -            |


#### **Product Specific Information**

Immunogen sequence: PRNLSSPFIF HEKTSEF

Positive Samples: 293T, HepG2, HeLa, Mouse liver, Mouse brain, Rat liver; Cellular Location: Cell membrane, Multi-pass


membrane protein

## **Product Images For SLC7A2 Polyclonal Antibody**




#### SLC7A2 Antibody (PA5-89910) in WB

Western blot analysis of SLC7A2 in extracts of various cell lines. Samples were incubated with SLC7A2 Polyclonal antibody (Product # PA5-89910) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1: 10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 180s.



#### SLC7A2 Antibody (PA5-89910) in IHC (P)

Immunohistochemistry analysis of SLC7A2 in paraffin-embedded human mammary cancer. Samples were incubated with SLC7A2 Polyclonal antibody (Product # PA5-89910) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



#### SLC7A2 Antibody (PA5-89910) in IHC (P)

Immunohistochemistry analysis of SLC7A2 in paraffin-embedded human placenta. Samples were incubated with SLC7A2 Polyclonal antibody (Product # PA5-89910) using a dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

### View more figures on thermofisher.com

For Research Use Only, Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT.

BUYER'S EXCLUSIVE REMEDY FOR NON-CORPORNING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED AND THE PRIOD CONTROLLED AND THE WARRANTY PRODUCTS AND THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORNING PRODUCTS; AT SELLER'S SOLE OPTION. THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORNING PRODUCTS; AT SELLER'S SOLE OPTION. THERE IS NO OBLICATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORNING PRODUCTS. AT A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or vivo or in vivo therapeutic uses, or any type of consumption