



GLRX Polyclonal Antibody

Product Details		
Size	100 μL	
Species Reactivity	Human, Mouse, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 1-106 of human GLRX (NP_0020551)	
Form	Liquid	
Concentration	2.34 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 50% glycerol	
Contains	0.01% thimerosal	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2806470	


Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:50-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-

Product Specific Information

Immunogen sequence: MAQEFVNCKI QPGKVVVFIK PTCPYCRRAQ EILSQLPIKQ GLLEFVDITA TNHTNEIQDY LQQLTGARTV PRVFIGKDCI GGCSDLVSLQ QSGELLTRLK QIGALQ; Positive Samples: SW480, NCI-H460; Cellular


Location: Cytoplasm

Product Images For GLRX Polyclonal Antibody




GLRX Antibody (PA5-92389) in WB

Western blot analysis of GLRX in extracts of various cell lines. Samples were incubated with GLRX Polyclonal antibody (Product # PA5-92389) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.



GLRX Antibody (PA5-92389) in IHC (P)

Immunohistochemistry analysis of GLRX in paraffin-embedded human kidney cancer. Samples were incubated with GLRX Polyclonal antibody (Product # PA5-92389) using a dilution of 1:200 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



GLRX Antibody (PA5-92389) in IHC (P)

Immunohistochemistry analysis of GLRX in paraffin-embedded mouse spleen. Samples were incubated with GLRX Polyclonal antibody (Product # PA5-92389) using a dilution of 1:200 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample. NO OTHER WARRANTIES, EXPERESS OR IMPLET MARRANTIES, OF MERCHANTABILITY, ETITIVESS FOR ANY PARTICULAR PURPOSS, CR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTIES, EXPERESS OR IMPLET MARRANTIES, EXPERESS OR IMPLET MARRANTIES