



RFC4 Polyclonal Antibody


Product Details		
Size	100 μL	
Species Reactivity	Human, Rat	
Host/Isotype	Rabbit / IgG	
Class	Polyclonal	
Туре	Antibody	
Conjugate	Unconjugated	
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 204-363 of human RFC4 (NP_0029071)	
Form	Liquid	
Concentration	0.69 mg/mL	
Purification	Affinity Chromatography	
Storage buffer	PBS, pH 7.3, with 50% glycerol	
Contains	0.02% sodium azide	
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles	
RRID	AB_2808142	

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunocytochemistry (ICC/IF)	1:50-1:100	-
Immunoprecipitation (IP)	1:50-1:200	-

Product Specific Information


Immunogen sequence: DKIQQQRLLD IAKKENVKIS DEGIAYLVKV SEGDLRKAIT FLQSATRLTG GKEITEKVIT DIAGVIPAEK IDGVFAACQS GSFDKLEAVV KDLIDEGHAA TQLVNQLHDV VVENNLSDKQ KSIITEKLAE VDKCLADGAD EHLQLISLCA TVMQQLSQNC; Positive Samples: HeLa, SW480, 22Rv1, SW620, K-562, HepG2, MCF7; Cellular Location: Nucleus

Product Images For RFC4 Polyclonal Antibody




RFC4 Antibody (PA5-96340) in WB

Western blot analysis of RFC4 in extracts of various cell lines. Samples were incubated with RFC4 Polyclonal antibody (Product # PA5-96340) using a dilution of 1:1,000, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25 μ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.



RFC4 Antibody (PA5-96340) in ICC/IF

Immunofluorescence analysis of RFC4 in U2OS cells. Samples were incubated with RFC4 Polyclonal antibody (Product # PA5-96340). Blue: DAPI for nuclear staining.



RFC4 Antibody (PA5-96340) in ICC/IF

Immunofluorescence analysis of RFC4 in U2OS cells. Samples were incubated with RFC4 Polyclonal antibody (Product # PA5-96340). Blue: DAPI for nuclear staining.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product using illusoriem to such model or sample. NO OTHER PREPESS OR IMPORTION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICUR. PREPROSE OR INFORMATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICUR. PREPROSE OR NON-CONFORMING PRODUCTS SURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS), AT SELLER'S SOLE OPTION. THERE IS NO GBLIGATION TO REPAIR, REPLACE OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, or vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.