Performance guarenteed

Granzyme A Polyclonal Antibody

Product Details

Size	100 μL
Species Reactivity	Human, Mouse, Rat
Host/Isotype	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Conjugate	Unconjugated
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 29-262 of human GZMA (NP_0061352)
Form	Liquid
Concentration	0.42 mg/mL
Purification	Affinity Chromatography
Storage buffer	PBS, pH 7.3, with 50% glycerol
Contains	0.02% sodium azide
Storage conditions	-20° C, Avoid Freeze/Thaw Cycles
RRID	AB_2808341

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:2,000	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-


Product Specific Information

Positive Samples: Mouse spleen, Mouse thymus, Rat intestine, Rat spleen; Cellular Location: Cytoplasmic granule

Immunogen sequence: IIGGNEVTPH SRPYMVLLSL DRKTICAGAL IAKDWVLTAA HCNLNKRSQV ILGAHSITRE EPTKQIMLVK KEFPYPCYDP ATREGDLKLL QLMEKAKINK YVTILHLPKK GDDVKPGTMC QVAGWGRTHN SASWSDTLRE VNITIIDRKV CNDRNHYNFN PVIGMNMVCA GSLRGGRDSC NGDSGSPLLC EGVFRGVTSF GLENKCGDPR GPGVYILLSK KHLNWIIMTI KGAV


1

Product Images For Granzyme A Polyclonal Antibody



Granzyme A Antibody (PA5-96539) in WB

Western blot analysis of Granzyme A in various lysates. Samples were incubated with Granzyme A Polyclonal antibody (Product # PA5-96539) using a dilution of 1: 2,500, followed by HRP Goat Anti-Rabbit IgG (H+L) at a dilution of 1:10,000. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.



Granzyme A Antibody (PA5-96539) in ICC/IF

Immunofluorescence analysis of Granzyme A in U2OS cells. Samples were incubated with Granzyme A Polyclonal antibody (Product # PA5-96539) using a dilution of 1:100. Blue: DAPI for nuclear staining.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrate of the general type and quality of goods and does not represent that any Product will conform to such model or sample. No OTHER WARRANTIES, EXPRESS OR IMPLED, ARER CRANTED INCLUDING WITHOUT LIMITATION, IMPLED WARRANTIES OF MERCHANTABILITY. THRESS FOR ANY PARTICULAR PURPROSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS OUTING THE WARRANTY PERIOD IS UNITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS ON EXPRESS OR INJUED. ANY EXPRESS OR INJUED ANY EXPRESS OR INJUED ANY EXPRESS OR INJUED ANY EXPRESS OR INJUED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS) AS THERE IS NO OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE NON-CONFORMING PRODUCTS ON THERE IS NO OBLIGATION TO FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE RODUCTS. UNder Sections and the product or in the documentation accompanying the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro d