Performance guarenteed'




Product Details


Species ReactivityHumanHost/IsotypeRabbit / IgGClassPolyclonalTypeAntibodyConjugateUnconjugatedImmunogenRecombinant Human Sprouty-related, EVH1 domain-containing protein 1 protein (123-311AA)FormLiquidConcentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Size	100 µg
ClassPolyclonalTypeAntibodyConjugateUnconjugatedImmunogenRecombinant Human Sprouty-related, EVH1 domain-containing protein 1 protein (123-311AA)FormLiquidConcentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Species Reactivity	Human
TypeAntibodyConjugateUnconjugatedImmunogenRecombinant Human Sprouty-related, EVH1 domain-containing protein 1 protein (123-311AA)FormLiquidConcentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Host/Isotype	Rabbit / IgG
ConjugateUnconjugatedImmunogenRecombinant Human Sprouty-related, EVH1 domain-containing protein 1 protein (123-311AA)FormLiquidConcentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Class	Polyclonal
ImmunogenRecombinant Human Sprouty-related, EVH1 domain-containing protein 1 protein (123-311AA)FormLiquidConcentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Туре	Antibody
FormLiquidConcentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Conjugate	Unconjugated
Concentration6 mg/mLPurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Immunogen	Recombinant Human Sprouty-related, EVH1 domain-containing protein 1 protein (123-311AA)
PurificationProtein GStorage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Form	Liquid
Storage bufferPBS, pH 7.4, with 50% glycerolContains0.03% ProClin 300Storage conditions-20°C or -80°C if preferred	Concentration	6 mg/mL
Contains 0.03% ProClin 300 Storage conditions -20°C or -80°C if preferred	Purification	Protein G
Storage conditions -20°C or -80°C if preferred	Storage buffer	PBS, pH 7.4, with 50% glycerol
	Contains	0.03% ProClin 300
	Storage conditions	-20°C or -80°C if preferred
RRID AB_2813184	RRID	AB_2813184

Applications	Tested Dilution	Publications
Western Blot (WB)	1:500-1:5,000	-
Immunohistochemistry (Paraffin) (IHC (P))	1:20-1:200	-
Immunocytochemistry (ICC/IF)	1:50-1:200	-
ELISA (ELISA)	Assay-Dependent	-

1

Product Images For SPRED1 Polyclonal Antibody






SPRED1 Antibody (PA5-98571) in WB

Western Blot analysis of SPRED1 using a SPRED1 Polyclonal antibody (Product # PA5-98571) at a concentration of 3 μ g/mL. Positive WB detected in: HepG2 whole cell lysate, A549 whole cell lysate. A secondary Goat polyclonal antibody to rabbit IgG was applied at a 1:50,000 dilution. Observed band size: 51 kDa.

SPRED1 Antibody (PA5-98571) in ICC/IF

Immunofluorescent analysis of SPRED1 in A549 cells using a SPRED1 polyclonal antibody (Product # PA5-98571) at a dilution of 1:100. Alexa Fluor 488-congugated Goat Anti-Rabbit IgG(H+L) secondary antibody was used.



SPRED1 Antibody (PA5-98571) in IHC (P)

Immunohistochemical analysis of SPRED1 in paraffin embedded human liver tissue using a SPRED1 polyclonal antibody (Product # PA5-98571) at a dilution of 1:100.

View more figures on thermofisher.com

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization. Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production or could be a property trained individuals. To have a provided herein its valid only when used by property trained individuals. To have a provide the product site value of the product site value and used by a property trained individuals. To have a provide the provide the provide state of the provide the provide the provide the provide state of the provide th

2