





BNP Polyclonal Antibody

Catalog Number PA5-21321 Product data sheet

<u>-</u>	
Details	
Size	100 μL
Host/Isotope	Rabbit / IgG
Class	Polyclonal
Туре	Antibody
Immunogen	Recombinant fragment corresponding to a region within amino acids 1 and 134 of BNP (Uniprot ID#P16860)
Conjugate	Unconjugated
Form	Liquid
Concentration	1 mg/mL
Purification	Antigen affinity chromatography
Storage buffer	PBS, pH 7, with 20% glycerol
Contains	0.025% ProClin 300
Storage Conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.

Species Reactivity	
Species reactivity	Human
Published species	Human
Tested Applications	Dilution *
Western Blot (WB)	1:500-1:3,000
Immunocytochemistry (ICC/IF)	1:100-1:1,000
Published Applications	
Western Blot (WB)	See 1 publications below

^{*} Suggested working dilutions are given as a guide only. It is recommended that the user titrate the product for use in their own experiment using appropriate negative and positive controls.

Product specific information

Recommended positive controls: 293T, A431, HeLa, HepG2. Store product as a concentrated solution. Centrifuge briefly prior to opening the vial.

Background/Target Information

This gene is a member of the natriuretic peptide family and encodes a secreted protein which functions as a cardiac hormone. The protein undergoes two cleavage events, one within the cell and a second after secretion into the blood. The protein's biological actions include natriuresis, diuresis, vasorelaxation, inhibition of renin and aldosterone secretion, and a key role in cardiovascular homeostasis. A high concentration of this protein in the bloodstream is indicative of heart failure. Mutations in this gene have been associated with postmenopausal osteoporosis.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.


For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACE OR REFUND FOR THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MISUSE, FAULT OR NEGLEGISENCE OF RISK BY BUYER, (III) USE or THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIDED, (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. HOW Indicated in the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.




Product Images For BNP Polyclonal Antibody



BNP Antibody (PA5-21321) in ICC/IF

BNP Polyclonal Antibody detects BNP protein at cytoplasm by immunofluorescent analysis. Sample: HeLa cells were fixed in ice-cold MeOH for 5 min. Green: BNP protein stained by BNP Polyclonal Antibody (Product # PA5-21321) diluted at 1:500. Blue: Hoechst 33342 staining.



BNP Antibody (PA5-21321) in WB

BNP Polyclonal Antibody detects BNP protein by western blot analysis. Various whole cell extracts (30 µg) were separated by 15% SDS-PAGE, and the membrane was blotted with BNP Polyclonal Antibody (Product # PA5-21321) diluted by 1:1,000.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The varranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample unstant of the product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample unstant of the product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample.

NO OTHER WARRANTES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BLYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE PROPERTY OF TH



PubMed References For BNP Polyclonal Antibody 1 Western Blot References Species / Dilution Summary PA5-21321 was used in Western Blot to analyze the contribution of both Atrial Natriuretic Peptides (ANP) and B-Type Natriuretic Peptide (BNP) in the regulation of the inflammatory behavior in prostate cancerous and non-cancerous cell lines. Human / 1:1000 Biomolecules (2021; 11:) "Natriuretic Peptides Regulate Prostate Cells Inflammatory Behavior: Potential Novel Anticancer Agents for Prostate Cancer." Author(s):Mezzasoma L,Talesa VN,Costanzi E,Bellezza I PubMed Article URL:http://dx.doi.org/10.3390/biom11060794

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACE OR REFUND FOR THE RESULT OF (10) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (10) MISUSE, FAULT OR REGILGENCE OF OR BY BUYER, (11) USE or THE PRODUCTS IN A MANNIER FOR WHICH THEY WERE NOT DESIGNED, (10) (1) MIPOPOPE STORAGE AND HANDLING OF THE PRODUCTS. In Library Expressed stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.

