





# CD5 Monoclonal Antibody (OX-19)

Catalog Number MA1-70004 Product data sheet

Details		Species Reactivity	
Size	250 μg	Species reactivity	Rat
Host/Isotope	Mouse / IgG1	Published species	Rat
Class	Monoclonal	Tested Applications	Dilution *
Туре	Antibody	Flow Cytometry (Flow)	0.5 μg/1x10^6 cells
Clone	OX-19	Immunohistochemistry (Frozen) (IHC (F))	Assay-dependent
Immunogen	Rat thymocyte glycoproteins, depleted of LC-A, W3/13 antigen and Thy 1.	Immunohistochemistry (Paraffin) (IHC (P))	Assay-dependent
Conjugate	Unconjugated	Immunoprecipitation (IP)	Assay-dependent
Form	Liquid	Western Blot (WB)	Assay-dependent
Concentration	1 mg/mL	Published Applications	
Purification	Protein G	Blocking Assay (BLOCK)	See 1 publications below
Storage buffer	PBS	* Suggested working dilutions are given as a guide only. It is recommended that the user titrate the product for use in their own experiment using appropriate negative and positive controls.	
Contains	0.02% sodium azide		
Storage Conditions	Store at 4°C short term. For long term storage, store at -20°C, avoiding freeze/thaw cycles.		

## Background/Target Information

CD5 is a 67 kDa human T-lymphocyte single-chain transmembrane glycoprotein. CD5 is present on all mature T-lymphocytes, on most of thymocytes and on many T-cell leukemias and lymphomas. CD5 also reacts with a subpopulation of activated B-cells and may act as a receptor in regulating T-cell proliferation. CD5 is found on 95% of thymocytes and 72% of peripheral blood lymphocytes. In lymph nodes, the main reactivity is observed in T cell areas. CD5 is expressed by many T cell leukemia, lymphomas, and activated T cells. Diseases associated with CD5 dysfunction include thymus cancer and Richter's Syndrome.

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.


For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE READED FOR NON-CONFEORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPLAY, REPLACED RETURN FOR REFULDING FOR REFULD FOR OR REFULD FOR OR REFULD FOR THE NON-CONFEORMING PRODUCTS DURING THE WARRANTY PERIOD IS STEED REPLACED RETURN FOR REFULD FOR R



## Product Images For CD5 Monoclonal Antibody (OX-19)



### CD5 Antibody (MA1-70004) in Flow

Flow cytometric analysis of thymocytes staining using a CD5/Ly-1 monoclonal antibody (Product # MA1-70004) at a 0.2 µg/10^6 cells dilution. The isotypic control was a purified mouse IgG1, kappa

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACE OR REFUND FOR THE RESULT OF (10) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (10) MISUSE, FAULT OR REGILGENCE OF OR BY BUYER, (11) USE or THE PRODUCTS IN A MANNIER FOR WHICH THEY WERE NOT DESIGNED, (10) (1) MIPOPOPE STORAGE AND HANDLING OF THE PRODUCTS. In Library Expressed stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.



# PubMed References For CD5 Monoclonal Antibody (OX-19) 1 Blocking Assay References Species / Dilution Summary MA170004 was used in blocking or activating experiment to find microRNA that contribute to acute graft-versus-host disease Rat / Not Cited Frontiers in immunology ( 2019; 7: ) "Tissue-Specific Expression Patterns of MicroRNA during Acute Graft-versus-Host Disease in the Rat." Author(s):Jalapothu D,Boieri M,Crossland RE,Shah P,Butt IA,Norden J,Dressel R,Dickinson AM,Inngjerdingen M PubMed Article URL:http://dx.doi.org/10.3389/fimmu.2016.00361

For Research Use Only. Not for use in diagnostic procedures. Not for resale without express authorization

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACE OR REFUND FOR THE RESULT OF (10) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (10) MISUSE, FAULT OR REGILGENCE OF OR BY BUYER, (11) USE or THE PRODUCTS IN A MANNIER FOR WHICH THEY WERE NOT DESIGNED, (10) (1) MIPOPOPE STORAGE AND HANDLING OF THE PRODUCTS. In Library Expressed stated on the Product or in the documentation accompanying the Product, the Product is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.

